







TECHNICAL SPECIFICATION


CITROËN GRAND C4 PICASSO MODEL

ENGINE Capacity (cc) Cylinders Max power CEE (RW/rpm) Max torque CEE (RW/rpm) Max torque CEE (Nm/rpm) Fuel system Euro status TRANSMISSION Transmission type Clutch type Torque converter PERFORMANCE Max speed (Rm/h) 0-100km/h (secs) Standing 1000m (secs) TECONOMY Litres/100km Urban cycle Extra urban Combined CO2 EMISSIONS (g/km) Nerib Weight Mass in service Max towing weight braked/ unbraked Max towing weight maked/ unbraked Max towing weight maked/ unbraked Max orof rack load Max orof rack load Max orof rack load Max orof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) ow 2 slid back/ forwards Max, with rows 2 and 3 folded 2181		Exclusive Automatic
Max power CEE (MV/rpm) Max torque CEE (NW/rpm) Max torque CEE (NW/rpm) Fuel system Euro status TRANSMISSION Transmission type Clutch type PERFORMANCE Max speed (km/h) 0-100km/h (secs) Standing 1000m (secs) TECONOMY Litres/100km Urban cycle Extra urban Combined CO2 EMISSIONS (g/km) Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load Max roof rack load Turning circle between kerbs (m) All seats up (below load cover) With row 3 folded (below load cover) With row 2 folded (below load cover) With row 3 folded (below load cover)	ENGINE	
Max power CEE (MV/rpm) Max torque CEE (NW/rpm) Max torque CEE (NW/rpm) Fuel system Euro status TRANSMISSION Transmission type Clutch type PERFORMANCE Max speed (km/h) 0-100km/h (secs) Standing 1000m (secs) TECONOMY Litres/100km Urban cycle Extra urban Combined CO2 EMISSIONS (g/km) Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load Max roof rack load Turning circle between kerbs (m) All seats up (below load cover) With row 3 folded (below load cover) With row 2 folded (below load cover) With row 3 folded (below load cover)	Capacity (cc)	1997
Max power CEE [kW/rpm] Max torque CEE [kW/rpm] Max torque CEE [kM/rpm] Fuel system Euro status TRANSMISSION Transmission type Clutch type Clutch type Torque converter PERFORMANCE Max speed (km/h) O-100km/h [sees] Standing 1000m [sees] Standing 1000m [sees] ECONOMY Litres/100km Urban cycle Extra urban Combined CO2 EMISSIONS (g/km) WEIGHTS [kg) Kerb Weight Max towing weight braked/ unbraked Max sones strain weight Max tow hitch download Max roof rack load BRAKES Front and rear discs FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) with row 2 sid back/ forwards All seats up (below load cover) With row 3 folded (below load cover) with row 2 sid back/ forwards All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards		4
Max torque CEE (Nm/rpm) Fuel system Euro status TRANSMISSION Transmission type Clutch type PERFORMANCE Max speed (km/h) O-100km/h (secs) Standing 1000m (secs) TECONOMY Litres/100km Urban cycle Extra urban Combined CO2 EMISSIONS (g/km) Kerb Weight Max towing weight braked/unbraked Max gross train weight Max towing so that have for face to be tower for a control of the contro	,	
Fuel system Euro status Transmission type Clutch type PERFORMANCE Max speed [km/h] 0-100km/h [secs] Standing 1000m [secs] ECONOMY Litres/100km Urban cycle Extra urban Combined CO2 EMISSIONS (g/km) Kerb Weight Max towing weight braked/unbraked Max gross train weight Max towing weight braked/unbraked Max roof rack load Max roof rack load BRAKES Front and rear discs FUEL TANK CAPACITY Litres All seats up (below load cover) With row 3 folded (below load cover) With row 2 folded (below load cover) With row 2 folded (below load cover) With row 2 folded (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards		
TRANSMISSION Transmission type Clutch type Six speed automatic Torque converter PERFORMANCE Max speed (km/h) 0-100km/h (secs) Standing 1000m (secs) 10.2 Standing 1000m (secs) Standing 1000m (secs) ECONOMY Litres/100km Urban cycle Extra urban Combined Livina cycle Extra urban Livina cycle Livin		
TRANSMISSION Transmission type Clutch type PERFORMANCE Max speed (km/h) O-100km/h (secs) Standing 1000m (secs) Standing 1000m (secs) Torque converter PECONOMY Litres/100km Urban cycle Extra urban Urban cycle Extra urban Combined CO2 EMISSIONS (g/km) WEIGHTS (kg) Kerb Weight Mass in service Max laden weight Max towing weight braked/unbraked Max towing weight braked/unbraked Max oros ratin weight Max tow hitch download Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres SS BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards Six speed automatic Torque converter 10.2 St 4 4.7 4.2 4.1 4.2 4.5 4.6 117 120 Variable assistance electric power steering 10.8 FUEL TANK CAPACITY Litres 55	•	
Transmission type Clutch type PERFORMANCE Max speed (km/h) 0-100km/h (secs) Standing 1000m (secs) Standing 1000m (secs) BECONOMY Litres/100km Urban cycle Extra urban Combined Litra urban Combined CO2 EMISSIONS (g/km) Kerb Weight Mass in service Max laden weight Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards	Euro status	Euro 6
Clutch type PERFORMANCE Max speed (km/h) 0-100km/h (secs) Standing 1000m (secs) Standing 1000m (secs) ECONOMY Litres/100km Urban cycle Extra urban Combined CO2 EMISSIONS (g/km) Kerb Weight Max sin service Max laden weight Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres All seats up (below load cover) With row 3 folded (below load cover)	TRANSMISSION	
PERFORMANCE Max speed [km/h] 0-100km/h [secs] Standing 1000m [secs] Standing 1000m [secs] ECONOMY Litres/100km Urban cycle Extra urban Urban cycle Extra urban 4.1 4.2 Combined 4.5 4.6 CO2 EMISSIONS [g/km] Kerb Weight Mass in service Max laden weight Max towing weight braked/urbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs [m] FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up [below load cover] With row 3 folded (below load cover) row 2 slid back/ forwards 10.2 207 10.2 207 207 207 10.2 31.5 18" wheels 117 under 19" wheels 117 under 19" wheels 117	Transmission type	Six speed automatic
PERFORMANCE Max speed (km/h) 0-100km/h (secs) Standing 1000m (secs) ECONOMY Litres/100km Urban cycle Extra urban Urban cycle Extra urban 4.1 Combined 4.5 4.6 CO2 EMISSIONS (g/km) Kerb Weight Mass in service 1710 Mas in service 1710 Max laden weight Max towing weight braked/urbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 10.2 207 207 207 207 207 31.5 10.2 31.5 17" wheels 18" wheels 18' wheels 18" wheels 18" wheels 18" wheels 18" wheels 18" wheels 1	Clutch type	Torque converter
Max speed (km/h) 207 0.100km/h (secs) 10.2 31.5		•
O-100km/h (secs) Standing 1000m (secs) 31.5	PERFORMANCE	
Standing 1000m (secs) 31.5	Max speed (km/h)	207
ECONOMY Litres/100km Urban cycle Extra urban Combined 4.1 4.2 4.5 4.6 CO2 EMISSIONS (g/km) WEIGHTS (kg) Kerb Weight Mass in service Max laden weight Max towing weight braked/ unbraked Max tow hitch download Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover)	0-100km/h (secs)	10.2
Urban cycle Extra urban Combined 4.1 4.2 4.5 4.6 CO2 EMISSIONS (g/km) WEIGHTS (kg) Kerb Weight Mass in service Max laden weight Max towing weight braked/unbraked Max towing weight braked/unbraked Max roof rack load Max for sextine weight Max tow hitch download Max roof rack load Max roof sextine BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover)	Standing 1000m (secs)	31.5
Urban cycle Extra urban Combined 4.1 4.2 4.5 4.6 CO2 EMISSIONS (g/km) WEIGHTS (kg) Kerb Weight Mass in service Max laden weight Max towing weight braked/unbraked Max towing weight braked/unbraked Max roof rack load Max for sextine weight Max tow hitch download Max roof rack load Max roof sextine BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover)	ECONOMY Litres/100km	17" wheels 18" wheels
Extra urban Combined 4.1 4.2 4.5 4.6 CO2 EMISSIONS (g/km) 117 120 WEIGHTS (kg) Kerb Weight Mass in service Max laden weight Max towing weight braked/unbraked Max gross train weight Max towing weight braked/unbraked Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) With row 3 folded (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards		
CO2 EMISSIONS (g/km) CO2 EMISSIONS (g/km) WEIGHTS (kg) Kerb Weight Mass in service Max laden weight Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover)	*	
CO2 EMISSIONS (g/km) WEIGHTS (kg) Kerb Weight Mass in service Max laden weight Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover)		
WEIGHTS (kg) Kerb Weight Mass in service Max laden weight Max towing weight braked/unbraked Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 1440 1440 1440 1440 1440 1440 1440 14	Combined	4.0
Kerb Weight Mass in service Max laden weight Max towing weight braked/unbraked Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 11710 1600/750 165 165 165 165 165 165 165 165 165 165	CO2 EMISSIONS (g/km)	117 120
Kerb Weight Mass in service Max laden weight Max towing weight braked/unbraked Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 11710 1600/750 165 165 165 165 165 165 165 165 165 165	NEIGHTS (kg)	
Mass in service Max laden weight Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 1710 2280 1600/750 3580 Variable assistance electric power steering 10.8 10.8 FUEL TANK CAPACITY Litres 55	1 -	1440
Max laden weight Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 165 632/793	3	
Max towing weight braked/unbraked Max gross train weight Max tow hitch download Max roof rack load BRAKES BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 1600/750 3580 Variable assistance electric power steering 10.8 10.8 10.8 10.8		
Max gross train weight Max tow hitch download Max roof rack load BRAKES BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards Max gross train weight 3580 Variable assistance electric power steering 10.8 10.8 10.8 10.8 10.8 10.8 10.8 10.8 10.8 10.8 10.8	3	
Max tow hitch download Max roof rack load BRAKES BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 70 80 Variable assistance electric power steering 10.8 10.8 165 632/793	2 3	
Max roof rack load BRAKES Front and rear discs STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 80 Variable assistance electric power steering 10.8 10.8 165 80 Variable assistance electric power steering 10.8 165 80 Variable assistance electric power steering 10.8 10.8		
BRAKES Front and rear discs STEERING Variable assistance electric power steering 10.8 FUEL TANK CAPACITY Litres 55 BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 632/793		· -
STEERING Turning circle between kerbs (m) FUEL TANK CAPACITY Litres BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards STEERING Variable assistance electric power steering 10.8 10.8 15.5 BOOT VOLUMES & DIMENSIONS All seats up (below load cover) 632/793	Max roof rack load	80
Turning circle between kerbs (m) 10.8 FUEL TANK CAPACITY Litres 55 BOOT VOLUMES & DIMENSIONS All seats up (below load cover) 165 With row 3 folded (below load cover) row 2 slid back/ forwards 632/793	BRAKES	Front and rear discs
Turning circle between kerbs (m) 10.8 FUEL TANK CAPACITY Litres 55 BOOT VOLUMES & DIMENSIONS All seats up (below load cover) 165 With row 3 folded (below load cover) row 2 slid back/ forwards 632/793		
FUEL TANK CAPACITY Litres 55 BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 632/793	STEERING	Variable assistance electric power steering
BOOT VOLUMES & DIMENSIONS All seats up (below load cover) With row 3 folded (below load cover) row 2 slid back/ forwards 632/793	Turning circle between kerbs (m)	10.8
All seats up (below load cover) 165 With row 3 folded (below load cover) row 2 slid back/ forwards 632/793	FUEL TANK CAPACITY Litres	55
All seats up (below load cover) 165 With row 3 folded (below load cover) row 2 slid back/ forwards 632/793		
With row 3 folded (below load cover) row 2 slid back/ forwards 632/793		
	All seats up (below load cover)	165
Max. with rows 2 and 3 folded 2181	With row 3 folded (below load cover) row 2 slid back/ forwards	632/793
	Max. with rows 2 and 3 folded	2181

DIMENSIONS









EQUIPMENT

SPECIFICATION MODEL YEAR 2015

•	Standard	equipment

- Optional factory fitted equipment
- ¹ Available as part of the Drive Assist Pack option.
- ² Standard when optional half leather and full leather trim styles are ordered.
- ³ Standard when optional full 'Nappa' leather trim is ordered. Deletes possibility of flat folding passenger seat. Slidding of passenger seat is performed manually.
- ⁴ Not available when optional full 'Nappa' leather
- ⁵ Not available when optional half leather or full

SAFETY & SECURITY

EXCLUSIVE

 o^1

ABS with Electronic Brakeforce Distribution (EBD) and Emergency Braking Assistance (EBA)

Electronic Stability Control (ESC) with traction control

Automatic electronic parking brake and Hill Start Assist function Automatic activation of hazard warning lights (in case of rapid

> deceleration or impact) Driver's and front passenger's airbags

Front lateral and curtain airbags (including row 2)

Front inertia reel seat belts with pre-tensioners and force-limiters

Outer rear seats with inertia reel seat belts with force-limiters

Centre rear seat with inertia reel seat belt housed in roof lining Rear seat ISOFIX child seat anchorage points with top tether on

Programmable cruise control with speed limiter

Cruise control with active radar guided cruise control and collision alert

Active Seatbelt safety system Blind spot monitoring system (with LED indicator in door mirrors)

Lane Departure Warning System with visual and active seatbelt alert Selective unlocking – driver's door only on first press of plip

(configurable in settings menu) Automatic door and boot locking (when vehicle in motion and

unlocking in case of impact) Anti-theft immobiliser

Electronic child lock control and indicator

LIGHTING & VISIBILITY

Panoramic windscreen with sliding interior sun blinds

Panoramic sunroof (with dark tinted glass and electric sliding blind) Halogen headlamps

Automatic activation of lights and windscreen wipers

Intelligent beam headlights

Daytime-running LEDs

LED front indicators

Front fog lights with cornering function

LED 3D effect rear lights

'Guide-me-home' headlamp function

Kerb lighting (puddle lights in door mirrors)

Blown bulb detection

Flat tyre indicator

Auto dimming electrochrome interior rear view mirror

Front concealed courtesy mirrors

Rear seat conversation mirror

Front and rear courtesy reading lights

Row 3 courtesy and reading lights

Removable torch in boot

STYLE EXTERIOR

EXCLUSIVE

Body colour painted bumpers

Chrome lower front bumper insert

Graphite grey side profile with integrated roof bars

Dark tinted rear window and glass side windows

Body colour electrically heated and folding door mirrors with LED

BlueHDi external badoe

17" 'Boa' alloy wheels (set of four)

18" 'Python' alloy wheels (set of four)

INTERIOR

Two-tone soft touch upper dashboard

Gear selector stalk mounted on steering column and black gear selector

SEATING

 O^4

Height and tilt-adjustable driver's seat

Driver's seat with electric massage function, adjustable lumbar support with extra support head rest

Flat folding, height and tilt adjustable front passenger's seat (enables loading up to 2.5m)

> Front passenger's seat with RELAX function (electric footrest, massage plus extra-support head rest)

Adjustable armrests for driver's and front passenger's seats

Electrically heated and adjustable driver's and front passenger's seats

Separate full size rear seats with adjustable recline angle

Row 2 seats with individual sliding fore/aft adjustment

Individual fold flat rear seats with retractable rear head restraints

Row 2 seats with extra support head rests

COMFORT & CONVENIENCE

Stop & Start technology

Variable assistance electric power steering

Stitched high-quality leather steering wheel with satin chrome inserts and 4 control zones

Sliding driver's and passenger's sun blinds with sunvisors and

Front and rear electric windows with anti-pinch and one-touch operation Automatic air conditioning with dual zone temperature setting

Air vents for row 2 passengers

Fan speed adjustment for row 2 passenger air vents •

Rear parking sensors

Front parking sensors and Park Assist

Reversing camera (displayed on upper 12" HD screen)

360° vision parking system

Motorised rear tailgate (includes chrome strip on rear tailgate) with programmable opening height memory

Row 3 air vents with flow control and LED reading lights

Engine start button

Keyless entry and start

EXCLUSIVE

Total closure mode (closes all windows when 'lock' button is held down)

'Find my car' feature (illumination of interior lights and flashing of

Integrated fold-down aircraft style tray tables

LED reading spot light for rear aircraft style tray tables

Integrated retractable rear side window sun blinds

12 volt accessory power socket in central storage cubby with additional 12 volt sockets in row 2 and boot

Capless refuelling

DRIVER INFORMATION

7" Touch Drive interface (used to control all vehicle functions)

12" Panoramic HD central display (full colour) with 3 selectable themes

'Black Panel' night-time mode

Service Indicator

Digital oil level and pressure status indicators

Audible warnings

Compressor with puncture repair kit

Illuminated central storage cubby (housing aux-in, USB and 12 volt

Ventilated and illuminated glovebox

Cup holders

Removable centre storage box with sliding lid (between front seats)

Front door pockets

Drawer under driver's seat

Drawer under front passenger's seat

Front seat back pockets

Rear underfloor storage (row 2)

Hanging hooks in rear (on B pillar)

4 lashing eyes in boot floor

Retractable roller-blind load cover

IN-CAR ENTERTAINMENT

7" Touch Drive interface - 7" full colour touch screen. 6 speakers. FM radio, 12 volt socket, aux-in jack, USB, Bluetooth® with media streaming and 4 zone steering wheel controls

Additional USB socket

Jukebox (built-in 8GB hard drive for storing music)

Satellite Navigation (displayed on 7" Touch Drive and 12" HD display)


^{&#}x27;Nappa' leather trim styles are ordered

CLEAR YOUR MIND. IT'S TIME TO CHOOSE A BODY COLOUR TO COMPLEMENT THE UPHOLSTERY AND ALLOYS TO BRING YOUR NEW CITROËN GRAND C4 PICASSO TO LIFE. IT'S AN ENJOYABLE DILEMMA...

BODY COLOURS



Blanc Banquise (S)



Bleu Teles (P)

TRIMS



Tissu Ondulice Griss Ardoise (Black/ Grey Cloth)



Noir Onyx (P)



Bleu Kyanos (P)



Mixte Cuir/Tissu Finn
Gris Ardoise¹
(Black Cloth/ Grey leather appointed³)



Gris Aluminium (P)



Rouge Rubi (P)



Cuir Nappa Bi-ton² (Black/ Beige leather appointed³)

WHFFI S

Standard 17" 'BOA' ALLOY WHEELS (SET OF FOUR) TYRES: 205/55 R17



Optional

18" 'PYTHON' ALLOY WHEELS (SET OF FOUR) TYRES: 225/45 R18



(S) Solid

(P) Premium Paint

- ¹ Half leather/full leather trims include the Lounge Pack electric massage function and adjustable lumbar support on front passenger and driver's seats, electric footrest on front passenger's seat and extra support headrests on all seats.
- 2 Full leather trim includes the Lounge Pack and electrically heated and adjustable driver's and front passenger's seats.
- ³Leather appointed seating includes other materials on selected areas.

Please note: Colours and pictures shown are for illustration purposes only. Please consult your Dealer for definitive colour and trim/upholstery details

Please don't throw me away, give me to a friend or recycle me. CITROËN Automobiles Australia offers this information as a general guide to product specifications. All data is believed to be correct as at October 2015, however, as vehicle development is an ongoing process, changes may occur from time to time which will not necessarily be reflected in this brochure. Therefore, CITROËN Automobiles Australia reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of CITROËN products, you should not rely solely on the information provided in this brochure. Purchasers or prospective purchasers should discuss individual intended purposes or use of CITROËN products with your CITROËN dealer before making a purchase decision. Dealers are not agents of CITROËN Automobiles Australia and have absolutely no authority to bind CITROËN Automobiles Australia by an express or implied undertaking or representation. CITROËN Automobiles Australia is the trading name of Sime Darby Motors Wholesale Australia Pty Ltd (ABN 58 116 052 754.)

Gris Shark (P)