Liberty specifications¹

MODEL			2.5i	2.5i Premium	3.6R	
Model Variant			Sedan	Sedan	Sedan	
Transmission						
Lineartronic™ CVT with manual	mode		•	•	•	
Engine						
Engine type			Horizontally-opposed Boxer 4-cylinder, petrol engine		Horizontally-opposed Boxer 6-cylinder, petrol engine	
Valve mechanism			DOHC	16-valve	DOHC 24-valve	
Bore x stroke		mm	94.0	× 90.0	92.0 x 91.0	
Capacity		СС	24	98	3630	
Compression ratio			10.3:1		10.5:1	
Fuel tank capacity	el tank capacity litres		60			
Fuel system			Multi point sequential injection			
Fuel requirement (min) RON		RON	91			
Performance ²						
Maximum power output (DIN)	aximum power output (DIN) kW/rpm		129kW@	129kW@5800rpm		
Maximum torque (DIN)		Nm/rpm	235Nm@4000rpm		350Nm@4400rpm	
Acceleration 0 – 100 km/h		seconds	9	.6	7.2	
Electronic Throttle Control syste	em (ETC)		Drive-by-wire			
Fuel consumption (ADR 81/02) For comparison purposes only. F	Real world results may	v vary³:				
	combined	l/100km	7	.3	9.9	
	urban	l/100km	9	.0	14.2	
	extra urban	l/100km	6	.3	7.5	
CO ₂ emissions (ADR81/02)	combined	(g/km)	167		230	
Symmetrical All-Wheel Drive	·				<u> </u>	
Туре		Auto		Active Torque Split		

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. All performance data measured using 95RON as required by Australian Design Rule 81/02. Vehicles tested in accordance with ADR 81/02. Acceleration test performed under controlled conditions. 3. Fuel consumption figures quoted are measured in accordance with ADR 81/02 and are for comparison purposes only. Real world results may vary based on individual driving circumstances e.g. traffic conditions, driving style, vehicle conditions, fuel quality, climatic conditions etc. Quoted figures may not reflect real world fuel consumption.

Liberty specifications¹

MODEL	2.5i	2.5i Premium	3.6R		
Gear ratio 1st	3.581 / Continuously Variable		3.105 / Continuously Variable		
2nd	2.262 / Continu	2.262 / Continuously Variable			
3rd	1.658 / Continu	uously Variable	1.454 / Continuously Variable		
4th	1.208 / Continu	uously Variable	1.057 / Continuously Variable		
5th	0.885 / Continu	uously Variable	0.779 / Continuously Variable		
6th	0.618 / Continu	uously Variable	0.542 / Continuously Variable		
Gear ratio – reverse	3.6	67	3.018		
Final reduction gear ratio	3.9	00	4.111		
Steering					
Туре	Ele	Electric power-assisted rack-and-pinion			
Minimum turning circle m	11.2				
Suspension					
Type Front	MacPherson struts, lower L-arms, coil springs, stabiliser bar				
Rear	Doub	Double wishbone, coil springs, stabiliser bar			
Brakes					
Type Front	Ventilated disc brake				
Rear	Ventilated disc brake				
Brake booster type	Tandem				
ABS	4-channel, 4-sensor ABS with Electronic Brakeforce Distribution				
Wheels and Tyres					
Tyre manufacturer	Dunlop				
Tyres (width, profile, size, load index and speed rating)	225/50 R18 95W				
Rim size	18x7 1/2J				
Wheels	18"				
Spare wheel		18"			

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice.

Liberty specifications¹

MODEL		2.5i	2.5i Premium	3.6R
Measurement				
Overall length	mm		4795	
Overall width	mm		1840	
Overall height	mm		1500	
Wheel base	mm		2750	
Front track	mm		1580	
Rear track	mm	1595		
Minimum ground clearance ²	mm	150		
Cargo volume – rear seat up/down	litres	493		
Seating capacity		5		
Kerb weight ³	kg	1542 1568 1645		
Tare mass³	kg	1502 1528 1605		1605
Towing				
With trailer brakes	kg	1500 1800		1800
Without trailer brakes	kg	750 750		
Maximum tow ball down load	kg	150 180		

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Ground clearance at kerb weight. 3. Vehicle kerb weight and tare mass varies according to the types of optional equipment included.

MODEL	2.5i	2.5i Premium	3.6R
Transmission			
Lineartronic™ CVT with manual mode	•	•	•
Safety Rating			
5 star ANCAP ² safety rating (maximum 5)	•	•	•
Collision Avoidance			
Symmetrical All-Wheel Drive (SAWD)	•	•	•
Vehicle Dynamics Control system (VDC) featuring:	•	•	•
Electronic Stability Control (ESC)	•	•	•
Anti-lock Braking System (ABS)	•	•	•
Electronic Brakeforce Distribution (EBD)	•	•	•
Brake Assist	•	•	•
Traction Control System (TCS)	•	•	•
Active Torque Vectoring system	•	•	•
Vision Assist featuring:		•	•
Blind spot monitor		•	•
Lane change assist		•	•
Rear cross traffic alert		•	•
High beam assist		•	•
4-wheel disc brakes	•	•	•
Electronic parking brake	•	•	•
Hill holder	•	•	•
Hill hold switch	•	•	•
Rear view reverse camera	•	•	•
Collision Protection			
SRS ³ airbags – dual front, dual front side and curtain	•	•	•
SRS ³ airbags – knee airbag (driver)	•	•	•
Front seat belts with pretensioners and load limiters	•	•	•
3 point A/ELR rear seat belts	•	•	•
Height-adjustable seat belt anchors – driver and front passenger	•	•	•
Seat belt warning lights – all seats	•	•	•

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. The Australasian New Car Assessment Program (ANCAP) gives consumers consistent information on the level of occupant protection provided by vehicles in serious front and side crashes. 3. SRS: Supplemental Restraint System. Effective when used in conjunction with seat belts.

MODEL	2.5i	2.5i Premium	3.6R
Rear seat headrests for 3 seating positions	•	•	•
Height and angle-adjustable front seat headrests	•	•	•
Height-adjustable rear seat headrests	•	•	•
Ring-shaped passenger safety cell	•	•	•
Child Safety			
Child seat anchor points (x3)	•	•	•
ISOFIX child seat anchor points (x2)	•	•	•
Rear door child locks	•	•	•
Intelligent Driving Dynamics			
Auto Stop Start	•	•	
Subaru Intelligent Drive (SI-Drive)	2 mode	2 mode	3 mode
EyeSight® Driver Assist system featuring:	•	•	•
Adaptive cruise control	•	•	•
Brake light recognition	•	•	•
Lane departure warning	•	•	•
Lane sway warning	•	•	•
Lead vehicle start alert	•	•	•
Pre-collision braking system	•	•	•
Pre-collision brake assist	•	•	•
Pre-collision throttle management	•	•	•
Pre-collision steering assist	•	•	•
Electronic Throttle Control system (ETC)	•	•	•
Exterior	•		
Body coloured mirrors and door handles	•	•	•
Body coloured rear garnish	•	•	Chrome type
Bonnet with gas struts	•	•	•
Chrome type side skirt garnish			•
Chrome type inserts on door handles			•
Chrome type window sills	•	•	•
Detachable module type windscreen wipers	•	•	•
Door mirrors with indicators	Power-folding	Heated/power-folding	Heated/power-folding

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice.

MODEL	2.5i	2.5i Premium	3.6R
Dual tail pipes			•
Electric sunroof		•	•
Engine cover			•
Front wipers with de-icer	•	•	•
Full size spare wheel	•	•	•
Rear door and rear quarter glass	Privacy glass	Privacy glass	Privacy glass
Side spoiler	•	•	•
Tail pipe covers	•	•	•
18" alloy wheels	•	•	•
Lighting – Exterior			
Front fog lights	•	•	•
Headlights – halogen with auto off	•		
Headlights – dusk-sensing	•	•	•
Headlights – self-levelling LED low beam with auto off		•	•
Rear LED combination lights	•	•	•
Rear LED stoplight	•	•	•
Welcome lighting	•	•	•
Lighting – Interior			
Cabin and cargo area lights	•	•	•
Illuminated ignition ring	•		
Map lights (x2)	•	•	•
Air-conditioning			•
Air-conditioning – dual zone climate control with rear vents	•	•	•
Anti-dust filter	•	•	•
Front and side demisters	•	•	•
Floor heater ducts for rear passengers	•	•	•
Rear windscreen demister – electric	•	•	•
Security			•
DataDotDNA®2 security system	•	•	•
Immobiliser security system	•	•	•

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. DataDotDNA $^{\circ}$ is a theft deterrent not a theft prevention mechanism.

MODEL	2.5i	2.5i Premium	3.6R
Instrumentation and Controls			
Adjustable steering wheel – height and telescopic	•	•	•
Electroluminescent gauges with colour MID	•	•	•
Customisable gauge colours	•	•	•
Instrument cluster	•	•	•
Manual mode	•	•	•
Multi-Information Display (MID)	•	•	•
One-touch lane change indicator	•	•	•
Paddle gear shifters	•	•	•
Sports pedals	•	•	•
Twin trip meter (switchable)	•	•	•
Steering wheel controls:	•	•	•
Audio	•	•	•
Eyesight [®]	•	•	•
Bluetooth ^{®2}	•	•	•
MID	•	•	•
SI-Drive	•	•	•
Storage			
Cargo luggage hooks	•	•	•
Centre console box	•	•	•
Cupholders – rear and centre console	•	•	•
Door pockets with integrated bottle holder – front and rear	•	•	•
In-dash console box	•	•	•
Overhead console – sunglasses holder	•	•	•
Seat back pocket – driver and front passenger side	•	•	•
Convenience			
12V/120W power jacks (x2)	•	•	•
Auto-dimming rear view mirror		•	•
Boot unlock on remote central locking keys	•	•	•

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Bluetooth® is a registered trademark of Bluetooth SIG Inc. System operation ability is subject to the Bluetooth® wireless technology specification of individual's phone.

MODEL	2.5i	2.5i Premium	3.6R
Sunvisors – illuminated with vanity mirror – driver and front passenger	•	•	•
Interior fuel lid lock release	•	•	•
Intermittent variable speed front windscreen wipers	•	•	•
Rain-sensing front windscreen wipers	•	•	•
Power steering, mirrors and windows	•	•	•
Rear seat centre armrest	•	•	•
Remote central locking (keys x2)	•	•	•
Smart key and push-start ignition		•	•
Interior Trims			
Carpet trim – black	•	•	•
Gear shift surround	Gloss black	Gloss black	Gloss black
Leather steering wheel and gear shifter	•	•	•
Seat trim – black or ivory cloth	•		
Seat trim – black or ivory leather ²		•	•
Side sill plates (front) – stainless	•	•	•
Seating Extras			
60/40 split folding rear seats	•	•	•
8-way power seat with dual memory – driver		•	•
8-way power seat – front passenger		•	•
Electric lumbar support – driver	<u> </u>	•	•
Heated seats – driver and front passenger		•	•
Manual seat height lifter – driver	•		