

Levorg specifications¹

MODEL	2.0GT		2.0GT-S	2.0GT-S spec.B
	Wagon		Wagon	Wagon
Transmission				
Sports Lineartronic™ CVT	•		•	•
Engine				
Engine type	Direct Injection turbocharged horizontally-opposed Boxer 4-cylinder, petrol engine			
Valve mechanism	DOHC with Dual AVCS			
Bore x stroke	mm	86.0 x 86.0		
Capacity	cc	1998		
Compression ratio	10.6:1			
Fuel tank capacity	litres	60		
Fuel system	Direct injection			
Fuel requirement (min)	RON	95		
Performance²				
Maximum power output (DIN)	kW/rpm	197kW@5600rpm		
Maximum torque (DIN)	Nm/rpm	350Nm@2400-5200rpm		
Acceleration ³ 0 – 100 km/h	seconds	6.6		
Electronic Throttle Control system (ETC)	Drive-by-wire			
Fuel consumption (ADR 81/02) ⁴	combined	l/100km	8.7	
	urban	l/100km	11.9	
	extra urban	l/100km	6.9	
CO ₂ emissions (ADR 81/02)	combined	(g/km)	201	
Symmetrical All-Wheel Drive				
Type	Auto	Variable Torque Distribution AWD system		
Transmission				
Gear ratio	1st	3.505 (S#:3.505) / Continuously variable		
	2nd	2.238 (S#:2.405) / Continuously variable		
	3rd	1.641 (S#:1.855) / Continuously variable		
	4th	1.194 (S#:1.544) / Continuously variable		
	5th	0.880 (S#:1.258) / Continuously variable		
	6th	0.611 (S#:1.032) / Continuously variable		
	7th	(S# 0.856)		
	8th	(S# 0.716)		
Gear ratio – reverse	2.345			
Final reduction gear ratio	3.900			

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. All performance data measured using 95RON as required by Australian Design Rule 81/02. Vehicles tested in accordance with ADR 81/02. 3. Acceleration test performed under controlled conditions. 4. Fuel consumption figures calculated in accordance with Australian Design Rule 81/02.

Levorg specifications¹

MODEL		2.0GT	2.0GT-S	2.0GT-S spec.B
		Wagon	Wagon	Wagon
Steering				
Steering		Electric power assistance rack and pinion		
Minimum turning circle (kerb to kerb)	m	10.8		
Suspension				
Type	Front	MacPherson strut, lower L-arms, coil springs, stabiliser bar	Bilstein® MacPherson strut, lower L-arms, coil springs, stabiliser bar	
	Rear	Double wishbone, coil springs, stabiliser bar	Bilstein® damper, coil springs, double wishbone, stabiliser bar	
Brakes				
Type	Front	Ventilated disc brakes		
	Rear	Ventilated disc brakes		
Brake booster type		Tandem		
ABS		4-channel, 4-sensor ABS with Electronic Brakeforce Distribution		
Wheels and Tyres				
Tyre manufacturer		Dunlop SP Sport Maxx 050		
Tyres (width, profile, size, load index and speed rating)		225/45 R18 91W		
Rim size		18x7.5J		
Wheels		18"		
Spare wheel		Spacesaver wheel		
Measurement				
Overall length	mm	4690		
Overall width	mm	1780		
Overall height	mm	1490		
Wheel base	mm	2650		
Front track	mm	1530		
Rear track	mm	1540		
Minimum ground clearance ²	mm	135		
Cargo volume – rear seat up/down	litres	522/1446		
Seating capacity		5		
Kerb weight ³	kg	1578	1622	
Tare mass ³	kg	1538	1582	
Towing				
Towing without/with trailer brakes	kg	750/1200 ⁴		
Maximum tow ball down load	kg	120		

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Ground clearance at kerb weight. 3. Vehicle kerb weight and tare mass varies according to the types of optional equipment included. 4. Vehicles are unable to tow while fitted with STI Rear under spoiler. STI Rear under spoiler removal is required before fitment of tow-bar.

Levorg features¹

MODEL	2.0GT	2.0GT-S	2.0GT-S spec.B
Transmission			
Sports Lineartronic™ CVT	•	•	•
Safety Rating			
5 star ANCAP ² safety rating (maximum 5)	•	•	•
Collision Avoidance			
Symmetrical All-Wheel Drive (SAWD)	•	•	•
Vehicle Dynamics Control system (VDC) featuring:	•	•	•
Electronic Stability Control (ESC)	•	•	•
Anti-lock Braking System (ABS)	•	•	•
Electronic Brakeforce Distribution (EBD)	•	•	•
Brake Assist	•	•	•
Traction Control System (TCS)	•	•	•
Active Torque Vectoring System	•	•	•
4-wheel disc brakes	•	•	•
Hill Start Assist	•	•	•
Electronic parking brake	•	•	•
Hill hold switch	•	•	•
Rear view reverse camera	•	•	•
Vision Assist featuring:		•	•
EyeSight® Assist Monitor		•	•
Side view monitor		•	•
Blind spot monitor		•	•
Lane change assist		•	•
Rear cross traffic alert		•	•
High beam assist		•	•
Collision Protection			
SRS ³ airbags – dual front, dual front side and curtain	•	•	•
SRS ³ airbags – knee airbag (driver only)	•	•	•
Front seat belts with pretensioners and load limiters	•	•	•
3 point A/ELR rear seat belts	•	•	•
Height adjustable seat belt anchors – driver and front passenger	•	•	•
Seat belt warning lights – all seats	•	•	•

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. The Australasian New Car Assessment Program (ANCAP) gives consumers consistent information on the level of occupant protection provided by vehicles in serious front and side crashes. 3. SRS: Supplemental Restraint System. Effective when used in conjunction with seat belts.

Levorg features¹

MODEL	2.0GT	2.0GT-S	2.0GT-S spec.B
Rear seat headrests for 3 seating positions	•	•	•
Height and angle adjustable front seat headrests	•	•	•
Height adjustable rear seat headrests	•	•	•
Ring-shaped passenger safety cell	•	•	•
Child Safety			
Child seat anchor points (x3)	•	•	•
ISOFIX anchor points (x2)	•	•	•
Rear door child locks	•	•	•
Intelligent Driving Dynamics			
Electronic Throttle Control system (ETC)	•	•	•
Subaru Intelligent Drive (SI-Drive)	•	•	•
Intelligent (I) mode	•	•	•
Sport (S) mode	•	•	•
SportSharp (S#) mode	•	•	•
EyeSight® Driver Assist system featuring:			
Adaptive cruise control	•	•	•
Lane departure warning	•	•	•
Lane sway warning	•	•	•
Lead vehicle start alert	•	•	•
Pre-collision braking system	•	•	•
Pre-collision brake assist	•	•	•
Pre-collision throttle management	•	•	•
Pre-collision steering assist	•	•	•
Brake light recognition	•	•	•
Chassis and Mechanism			
Front and rear stabiliser	•	•	•
Tie-rod type tandem brake booster system	•	•	•
Exterior			
Body coloured mirrors and door handles	•	Silver mirrors	Silver mirrors
Bonnet scoop	•	•	•
Bonnet with gas struts	•	•	•
Chrome coloured rear garnish	•	•	•
Detachable module type windscreen wipers	•	•	•
Door mirrors with indicators – power folding	•	Heated	Heated

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice.

Levorg features¹

MODEL	2.0GT	2.0GT-S	2.0GT-S spec.B
Dual tail pipes with covers	•	•	•
Electric sunroof		•	•
Engine cover	•	•	•
Privacy glass – rear door, rear quarter and rear windscreen	•	•	•
Fuel cap – tethered	•	•	•
Rear spoiler	•	•	•
Shark fin antenna	•	•	•
Spacesaver spare wheel	•	•	•
18" alloy wheels	•	•	•
Lighting – Exterior			
Daytime running lights - halogen	•	•	•
Front fog lights	•	•	•
Headlights – self-levelling LED low beam with auto off	•	•	•
Headlights – dusk-sensing		•	•
Rear bumper reflectors	•	•	•
Rear LED combination lights	•	•	•
Rear LED stoplight	•	•	•
Lighting – Interior			
Cabin and cargo area lights	•	•	•
Illuminated ignition ring	Push button	Push button	Push button
Map lights (x2)	•	•	•
Air-conditioning			
Air-conditioning – dual zone climate control	•	•	•
Anti-dust filter	•	•	•
Front and side demisters	•	•	•
Heater ducts for rear passengers	•	•	•
Rear windscreen demister – electric with timer	•	•	•
Security			
DataDotDNA ⁰² security system	•	•	•
Immobiliser security system	•	•	•
Vehicle pre-wired for alarm system	•	•	•
Instrumentation and Controls			
Adjustable steering wheel – height and telescopic	•	•	•
Electroluminescent gauges with colour MID	•	•	•

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. DataDotDNA[®] is a theft deterrent not a theft prevention mechanism.

Levorg features¹

MODEL	2.0GT	2.0GT-S	2.0GT-S spec.B
Instrument cluster ²	•	•	•
One touch lane change indicator	•	•	•
Paddle gear shift on steering column	•	•	•
Sports pedals	•	•	•
Steering wheel controls:	•	•	•
Audio and Bluetooth ³	•	•	•
EyeSight [®]	•	•	•
MID and SI-Drive	•	•	•
Dual gauge located Multi-Information Display unit (MID) featuring:	•	•	•
3.5" LCD screen	•	•	•
Journey information	•	•	•
Eco-gauge information	•	•	•
EyeSight [®] display	•	•	•
SI-Drive display	•	•	•
Warning display	•	•	•
Digital speedometer	•	•	•
Multi-Function Display unit (MFD) featuring:	•	•	•
4.3" LCD screen	•	•	•
Outside temperature and clock display	•	•	•
Journey fuel economy information	•	•	•
Air-conditioning and seat belt display	•	•	•
Eco-gauge information	•	•	•
VDC operating information display	•	•	•
Vehicle condition/maintenance self-check	•	•	•
Turbo boost pressure display	•	•	•
MFD visor with blue stitching	•	•	•
Twin trip meter (switchable)	•	•	•
Storage			
Cargo hooks	•	•	•
Centre console box	•	•	•
Cupholders – centre console (with sliding lid) and rear	•	•	•
Door pockets with integrated bottle holder – front and rear	•	•	•

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Instrument cluster includes speedometer, tachometer, trip computer, fuel gauge, AT select monitor, cruise control indicator, high beam indicator and front fog light indicator. 3. Bluetooth[®] is a registered trademark of Bluetooth SIG Inc. System operation ability is subject to the Bluetooth[®] wireless technology specification of individual's phone.

Levorg features¹

MODEL	2.0GT	2.0GT-S	2.0GT-S spec.B
Front centre tray	•	•	•
Pull-out cargo area tie down points	•	•	•
Retractable cargo blind	•	•	•
Seat back pocket – driver and front passenger side	•	•	•
Convenience			
12V/120W power jacks (x2)	•	•	•
Auto-dimming rear view mirror	•	•	•
Boot/tailgate unlock on remote central locking keys	•	•	•
Driver's footrest	•	•	•
Sunvisor with illuminated vanity mirrors – driver and front passenger	•	•	•
Interior fuel lid lock release	•	•	•
Intermittent variable speed front windscreen wipers	•	•	•
Power steering, mirrors and windows	•	•	•
Rain-sensing front windscreen wipers with de-icer	•	•	•
Remote central locking – selective unlock	•	•	•
Rear seat centre armrest	•	•	•
Remote central locking keys (x2)	•	•	•
Smart key and push-start ignition	•	•	•
Interior Trims			
Carpet trim – black	•	•	•
Leather steering wheel / gear shift	•	With blue stitching	With blue stitching
Seat trim – black cloth	•		
Seat trim – black or bright pearl leather ²		•	•
Side sill plates (front) – stainless		•	•
Sports bucket seats – driver and front passenger		•	•
Seating Extras			
60/40 split folding rear seats	•	•	•
8-way power seat with dual memory – driver		•	•
Heated seats – driver and front passenger		•	•
Manual seat height lifter – driver	•		
Reclining rear seat	•	•	•
One touch electric folding rear seats	•	•	•

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Some parts of the seating are not full natural leather.

Levorg features¹

MODEL	2.0GT	2.0GT-S	2.0GT-S spec.B
Entertainment			
Integrated infotainment system featuring:	•	•	•
Satellite navigation		•	•
Single CD player	•	•	•
AM/FM radio	•	•	•
6 speakers	•	•	•
6.2" touchscreen	•		
7" touchscreen		•	•
Pandora® and Siri® ² compatibility		•	•
Bluetooth® ³ wireless technology with:	•	•	•
Handsfree mobile communication	•	•	•
Audio streaming ⁴	•	•	•
Voice command recognition	•	•	•
Auxiliary jack – front centre console	•	•	•
USB connections – front centre console	x1	x2	x2
USB charge port - rear (x2)	•	•	•
STI Parts			
STI Shift knob (CVT)			•
STI Front spoiler			•
STI Side spoiler			•
STI Rear under spoiler			•
STI Rear side under spoiler			•
STI 18" black alloy wheels			•
STI Front tower bar			•
STI Push-start ignition button			•
STI Roof end spoiler			•
Warranty			
3 Year/Unlimited Km Warranty	•	•	•
3 Year/75,000km Capped Price Servicing Program ⁵	•	•	•
12 Month Roadside Assistance Program ⁶	•	•	•

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Requires compatible Siri® enabled Apple® device to be paired with the infotainment system. 3. Bluetooth® is a registered trademark of Bluetooth SIG Inc. System operation ability is subject to the Bluetooth® wireless technology specification of individual's phone. 4. There may be restrictions on features available for certain models that are not fully compliant with AVCRP. 5. Available at participating Subaru Retailers only and does not apply to rental and some other classes of vehicle. For full Capped Price Servicing Program Terms and Conditions visit www.subaru.com.au/service/capped-price-servicing. Subaru BRZ variants are covered by our 3 Year/60,000 Kilometre Capped Price Servicing Program. 6. 12 Month Roadside Assistance Program is standard upon activation with relevant Motoring Club in each state. To receive this benefit the customer must opt into the 12 Month Roadside Assistance Program at time of vehicle delivery. Eligible customers are those retail and novated lease customers who purchase a new Subaru on or after 1st June 2013 and have less than 5 vehicles under the Club Membership offer. Customers must provide a valid phone and residential address, as well as date of birth. Fleet, Government and Rental companies are excluded.