

Outback specifications¹

ENGINE TYPE		NATURALLY ASPIRATED			TURBOCHARGED DIESEL	
Model		2.5i	2.5i Premium	3.6R	2.0D	2.0D Premium
		Wagon	Wagon	Wagon	Wagon	Wagon
Transmission						
6-speed manual transmission					•	•
Lineartronic™ CVT with manual mode		•	•	•	•	•
Engine						
Engine type		Horizontally-opposed Boxer 4-cylinder, petrol engine		Horizontally-opposed Boxer 6-cylinder, petrol engine	Turbocharged horizontally-opposed Boxer 4-cylinder, diesel engine	
Valve mechanism		DOHC		DOHC	DOHC	
Bore x stroke		mm 94.0 x 90.0		92.0 x 91.0	86.0 x 86.0	
Capacity		cc 2498		3630	1998	
Compression ratio		10.3:1		10.5:1	15.2:1	
Fuel tank capacity		litres 60		60		
Fuel system		Multi point sequential injection			Common rail direct injection	
Fuel requirement (min)		RON 91			Diesel	
Performance²						
Maximum power output (DIN)		kW/rpm 129kW@5800rpm		191kW@6000rpm	110kW@3600rpm	
Maximum torque (DIN)		Nm/rpm 235Nm@4000rpm		350Nm@4400rpm	350Nm@1600-2800rpm	
Acceleration 0 - 100 km/h		seconds 10.2		7.6	9.7 (MT) - 9.9 (CVT)	
Electronic Throttle Control system (ETC)		Drive-by-wire				
Fuel consumption (ADR 81/02) For comparison purposes only. Real world results may vary ² :						
	urban	l/100km 7.3		9.9	5.7 (MT) - 6.3 (CVT)	
	urban	l/100km 9.0		14.2	6.9 (MT) - 7.7 (CVT)	
	extra urban	l/100km 6.3		7.5	5.0 (MT) - 5.5 (CVT)	
CO ₂ emissions (ADR81/02)		combined (g/km) 167		230	148 (MT) - 165 (CVT)	

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. All performance data measured using 95RON as required by Australian Design Rule 81/02. Vehicles tested in accordance with ADR 81/02. Acceleration test performed under controlled conditions. 3. Fuel consumption figures quoted are measured in accordance with Australian Design Rule 81/02 and are for comparison purposes only. Real world results may vary based on individual driving circumstances e.g. traffic conditions, driving style, vehicle conditions, fuel quality, climatic conditions etc. Quoted figures may not reflect real world fuel consumption.

Outback specifications¹

ENGINE TYPE		NATURALLY ASPIRATED			TURBOCHARGED DIESEL	
Model		2.5i	2.5i Premium	3.6R	2.0D	2.0D Premium
Symmetrical All-Wheel Drive						
Type	Manual	n/a		n/a	Centre differential with a viscous Limited Slip Differential	
	Auto	Active Torque Split				
Transmission						
Gear ratio	1st	3.581 / CVT		3.105 / CVT	3.545 (MT) - 3.505 (CVT)	
	2nd	2.262 / CVT		1.983 / CVT	1.888 (MT) - 2.285 (CVT)	
	3rd	1.658 / CVT		1.454 / CVT	1.062 (MT) - 1.567 (CVT)	
	4th	1.208 / CVT		1.057 / CVT	0.785 (MT) - 1.179 (CVT)	
	5th	0.885 / CVT		0.779 / CVT	0.634 (MT) - 0.910 (CVT)	
	6th	0.618 / CVT		0.542 / CVT	0.557 (MT) - 0.723 (CVT)	
	7th				n/a (MT) - 0.582 (CVT)	
Gear ratio - reverse		3.667		3.018	3.636 (MT) - 3.407 (CVT)	
Final reduction gear ratio		4.111		4.111	4.444 (MT) - 4.111 (CVT)	
Steering						
Steering		Electric power-assisted rack-and-pinion				
Minimum turning circle	m	11.0				
Suspension						
Type	Front	MacPherson struts, lower L-arms, coil springs, stabiliser bar				
	Rear	Double wishbone, coil springs, stabiliser bar				
Brakes						
Type	Front	Ventilated disc brake				
	Rear	Ventilated disc brake				
Brake booster type		Tandem				
ABS		4-channel, 4-sensor ABS with Electronic Brakeforce Distribution				

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice.

Outback specifications¹

ENGINE TYPE	NATURALLY ASPIRATED			TURBOCHARGED DIESEL	
Model	2.5i	2.5i Premium	3.6R	2.0D	2.0D Premium
Wheels and Tyres					
Tyre manufacturer	Bridgestone			Yokohama	Bridgestone
Tyres (width, profile, size, load index and speed rating)	225/60 R18 100V			225/65 R17 102H	225/60 R18 100V
Rim size	18x7J			17x7J	18x7J
Wheels	18"			17"	18"
Spare wheel	18"			17"	18"
Measurement					
Overall length	mm	4815			
Overall width	mm	1840			
Overall height	mm	1675			
Wheel base	mm	2745			
Front track	mm	1570			
Rear track	mm	1580			
Minimum ground clearance ²	mm	213			
Cargo volume – rear seat up/down	litres	512/1801			
Seating capacity		5			
Kerb weight ³	kg	1597	1628	1702	1630(6MT)-1685(CVT) 1668(6MT)-1724(CVT)
Tare mass ³	kg	1557	1588	1662	1590(6MT)-1645(CVT) 1628(6MT)-1684(CVT)
Towing					
With trailer brakes	kg	1500		1800	1700
Without trailer brakes	kg	750			
Maximum tow ball down load	kg	150		180	170

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Ground clearance at kerb weight. 3. Vehicle kerb weight and tare mass varies according to the types of optional equipment included.

Outback features¹

ENGINE TYPE	NATURALLY ASPIRATED			TURBOCHARGED DIESEL	
Model	2.5i	2.5i Premium	3.6R	2.0D	2.0D Premium
Transmission					
6-speed manual transmission				•	•
Lineartronic™ CVT with manual mode	•	•	•	•	•
Safety Rating					
5 star ANCAP ² safety rating (maximum 5)	•	•	•	•	•
Collision Avoidance					
Symmetrical All-Wheel Drive (SAWD)	•	•	•	•	•
Vehicle Dynamics Control system (VDC) featuring:	•	•	•	•	•
Electronic Stability Control (ESC)	•	•	•	•	•
Anti-lock Braking System (ABS)	•	•	•	•	•
Electronic Brakeforce Distribution (EBD)	•	•	•	•	•
Brake Assist	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•
Active Torque Vectoring System	•	•	•	•	•
4-wheel disc brakes	•	•	•	•	•
Hill holder	•	•	•	•	•
Hill hold switch	•	•	•	•	•
Electronic parking brake	•	•	•	•	•
Rear view reverse camera	•	•	•	•	•
Vision Assist featuring:		•	•		•
Blind spot monitor		•	•		•
Lane change assist		•	•		•
Rear cross traffic alert		•	•		•
High beam assist		•	•		•
Collision Protection					
SRS ³ airbags - dual front, dual front side and curtain	•	•	•	•	•
SRS ³ airbags - knee airbag (driver)	•	•	•	•	•
Front seat belts with pretensioners and load limiters	•	•	•	•	•
3 point A/ELR rear seat belts	•	•	•	•	•
Height adjustable seat belt anchors – driver and front passenger	•	•	•	•	•

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. The Australasian New Car Assessment Program (ANCAP) gives consumers consistent information on the level of occupant protection provided by vehicles in serious front and side crashes. 3. SRS: Supplemental Restraint System. Effective when used in conjunction with seat belts.

Outback features¹

ENGINE TYPE	NATURALLY ASPIRATED			TURBOCHARGED DIESEL	
Model	2.5i	2.5i Premium	3.6R	2.0D	2.0D Premium
Seat belt warning lights – all seats	•	•	•	•	•
Rear seat headrests for 3 seating positions	•	•	•	•	•
Height and angle adjustable front seat headrests	•	•	•	•	•
Height adjustable rear seat headrests	•	•	•	•	•
Ring-shaped passenger safety cell	•	•	•	•	•
Child Safety					
Child seat anchor points (x3)	•	•	•	•	•
ISOFIX anchor points (x2)	•	•	•	•	•
Rear door child locks	•	•	•	•	•
Intelligent Driving Dynamics					
Auto Stop Start	•	•			
Subaru Intelligent Drive (SI-Drive)	2 modes	2 modes	3 modes		
EyeSight® Driver Assist system featuring:	•	•	•	CVT	CVT
Adaptive cruise control	•	•	•	CVT	CVT
Brake light recognition	•	•	•	CVT	CVT
Lane departure warning	•	•	•	CVT	CVT
Lane sway warning	•	•	•	CVT	CVT
Lead vehicle start alert	•	•	•	CVT	CVT
Pre-collision braking system	•	•	•	CVT	CVT
Pre-collision steering assist	•	•	•	CVT	CVT
Pre-collision brake assist	•	•	•	CVT	CVT
Pre-collision throttle management	•	•	•	CVT	CVT
Electronic Throttle Control system (ETC)	•	•	•	•	•
X-Mode	•	•	•	CVT	CVT
Exterior					
Body coloured mirrors and door handles	•	•	•	•	•
Bonnet with gas struts	•	•	•	•	•
Chrome type window sills	•	•	•	•	•
Detachable module type windscreen wipers	•	•	•	•	•
Door mirrors with indicators – power-folding	•	Heated	Heated	•	Heated
Electric sunroof		•	•		•
Engine cover			•	•	•
Full size spare wheel	•	•	•	•	•
Rear door, rear quarter and rear windscreen privacy glass	•	•	•	•	•

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice.

Outback features¹

ENGINE TYPE	NATURALLY ASPIRATED			TURBOCHARGED DIESEL	
	2.5i	2.5i Premium	3.6R	2.0D	2.0D Premium
Model					
Rear mud guards	•	•	•	•	•
Rear spoiler	•	•	•	•	•
Dual tail pipes			•		
Exterior grade badge				•	•
Front and rear wipers with front de-icer	•	•	•	•	•
Rear window wiper	•	•	•	•	•
Resin wheel arches		•	•		•
Front mud guards		•	•		•
Roof rails with integrated cross bars	Black rails	Black rails	Silver rails	Black rails	Black rails
Side cladding	•	•	•	•	•
17" alloy wheels				•	
18" alloy wheels	•	•	•		•
Lighting - Exterior					
Daytime running lights – halogen	•	•	•	•	•
Front fog lights	•	•	•	•	•
Headlights – halogen with auto off	•			•	
Headlights – dusk-sensing	•	•	•	•	•
Headlights – self-levelling LED low beam with auto off		•	•		•
Rear bumper reflectors	•	•	•	•	•
Rear LED combination lights	•	•	•	•	•
Rear LED stoplight	•	•	•	•	•
Welcome lighting	•	•	•	•	•
Lighting – Interior					
Blue interior door grip illumination	•	•	•	•	•
Puddle lamps front	•	•	•	•	•
Cabin and cargo area lights	•	•	•	•	•
Illuminated ignition ring	•			•	
Map lights (x2)	•	•	•	•	•
Air-conditioning					
Air-conditioning – dual zone climate control with rear vents	•	•	•	•	•
Anti-dust filter	•	•	•	•	•
Front and side demisters	•	•	•	•	•
Floor heater ducts for rear passengers	•	•	•	•	•
Rear windscreen demister – electric	•	•	•	•	•

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice.

Outback features¹

ENGINE TYPE	NATURALLY ASPIRATED			TURBOCHARGED DIESEL	
Model	2.5i	2.5i Premium	3.6R	2.0D	2.0D Premium
Security					
Immobiliser security system	•	•	•	•	•
DataDotDNA ^{®2} security system	•	•	•	•	•
Instrumentation and Controls					
Adjustable steering wheel – height and telescopic	•	•	•	•	•
Instrument cluster	•	•	•	•	•
One touch lane change indicator	•	•	•	•	•
Paddle gear shifters	•	•	•	CVT	CVT
Twin trip meter (switchable)	•	•	•	•	•
Customisable gauge colours	•	•	•	•	•
Hazard warning indicators	•	•	•	•	•
Manual mode	•	•	•	CVT	CVT
Steering wheel controls:	•	•	•	•	•
Audio	•	•	•	•	•
Cruise				MT	MT
Bluetooth ^{®3}	•	•	•	•	•
EyeSight [®]	•	•	•	CVT	CVT
MID	•	•	•	•	•
SI-Drive					
Multi-Information Display unit (MID) featuring:	•	•	•	•	•
5" LCD screen	•	•	•	CVT	CVT
3.5" LCD screen				MT	MT
Digital speedometer	•	•	•	•	•
Fuel economy and journey information	•	•	•	•	•
Eco-gauge information	•	•	•	•	•
EyeSight [®] display	•	•	•	CVT	CVT
Auto Stop Start information	•	•			
SI-Drive display	•	•	•		
Warning display	•	•	•	•	•
X-Mode display	•	•	•	CVT	CVT

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. DataDotDNA[®] is a theft deterrent not a theft prevention mechanism. 3. Bluetooth[®] is a registered trademark of Bluetooth SIG Inc. System operation ability is subject to the Bluetooth[®] wireless technology specification of individual's phone.

Outback features¹

ENGINE TYPE	NATURALLY ASPIRATED			TURBOCHARGED DIESEL	
Model	2.5i	2.5i Premium	3.6R	2.0D	2.0D Premium
Storage					
Cargo hooks	•	•	•	•	•
Centre console box	•	•	•	•	•
Cupholders – rear and centre console	•	•	•	•	•
Door pockets with integrated bottle holder – front and rear	•	•	•	•	•
In-dash console box	•	•	•	•	•
Overhead console – sunglasses holder	•	•	•	•	•
Pull-out cargo area tie down points	•	•	•	•	•
Retractable cargo blind	•	•	•	•	•
Seat back pocket – driver and front passenger side	•	•	•	•	•
Convenience					
12V/120W power jacks (x2)	•	•	•	•	•
Auto-dimming rear view mirror		•	•		•
Boot/tailgate unlock on remote central locking keys	•	•	•	•	•
Illuminated sunvisor with vanity mirrors – driver and front passenger	•	•	•	•	•
Interior fuel lid lock release	•	•	•	•	•
Intermittent variable speed front windscreen wipers	•	•	•	•	•
Rain-sensing front windscreen wipers	•	•	•	•	•
Power steering, mirrors and windows		•	•	•	•
Powered rear gate		•	•		•
Rear seat centre armrest	•	•	•	•	•
Remote central locking (keys x2)	•	•	•	•	•
Smart key and push-start ignition		•	•		•
Interior Trims					
Cargo area carpet colour	Black	Black	Black	Black	Black
Carpet trim – black	•	•	•	•	•
Leather steering wheel and gear shift	•	•	•	•	•
Seat trim – cloth ² , black				•	
Seat trim – textured cloth ² , choice of black or ivory	•				
Seat trim – leather ³ , choice of black or ivory		•	•		•
Side sill plates (front) – stainless	•	•	•		•

1. Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Cloth interior in Outback 2.5i differs to that of Outback 2.0D. 3. Some parts of the seating are not full natural leather.