Forester specifications¹

| ENGINE TYPE | | NAT | URALLY ASPIRA | ATED | TURBOCHARGED PETROL | | TURBOCHARGED DIESEL | | |
|---|---------|--|-------------------------------------|---------------------|---------------------|--|--|--------------------------|--|
| Model Variant | | 2.0i-L | 2.5i-L | 2.5i-S | 2.0XT | 2.0XT Prem | 2.0D-L | 2.0D-S | |
| Transmission | | | | | | | | | |
| 6-speed manual transmission | | • | | | | | • | • | |
| Lineartronic™ CVT with manual mode | | | • | • | • | • | • | • | |
| Engine | | | | | | | | | |
| Engine type | | Horizontally-opposed Boxer 4-cylinder, petrol engine | | | horizontally-o | n, turbocharged pposed Boxer petrol engine | Turbocharged horizontally- opposed Boxer 4-cylinder, diesel engine | | |
| Valve mechanism | | DOHC with Dual AVCS | | | DOHC with Dual AVCS | | DOHC | | |
| Bore x stroke | mm | 84 x 90 | 94 : | x 90 | | x 86 | 86> | | |
| Capacity | СС | 1995 | | 98 | | 98 | 19 | | |
| Compression ratio | | 10.5:1 | 10 |):1 | 10. | .6:1 | 15. | 2:1 | |
| Fuel tank capacity | litres | | | | 60 | | | | |
| Fuel system | | Multi point sequential injection | | | | njection | Common rail direct injection | | |
| Fuel requirement (min) | RON | | 91 | | 9 | 25 | Diesel | | |
| Performance ² | | | | | | | | | |
| Maximum power output (DIN) | kW/rpm | 110kW@6200rpm | 126kW@ | 5800rpm | 177kW@5600rpm | | 108kW@3 | 3600rpm | |
| Maximum torque (DIN) | Nm/rpm | 198Nm@4200rpm | 235Nm@4100rpm | | 350Nm@24 | 00-3600rpm | 350Nm@160 | 00-2400rpm | |
| Acceleration 0 – 100 km/h | seconds | 10.6 | 9 | .9 | 7 | .5 | 9. | 9 | |
| Electronic Throttle Control system (ETC) | | | | | Drive-by-wire | | | | |
| Fuel consumption (ADR 81/02) For comparison purposes only. Real world results may vary ³ : | | | | | | | | | |
| combined | l/100km | 7.2 | 8 | | _ | .5 | 5.9 (MT) / 6.4 (CVT) | | |
| urban | l/100km | 8.9 | |).2 | | .2 | 7.3 (MT) / | | |
| extra urban | | 6.4 | | .8 | | 7 | 5.0 (MT) / | | |
| CO ₂ emissions (ADR 81/02) combined | (g/km) | 168 | 18 | 37 | 11 | 97 | 152 (MT) / | 166 (CVT) | |
| Transmission | | | | | | | | | |
| Gear ratio | 1st | 3.818 | 3.581 | / CVT | 3.505 (S | #:3.505) | 3.454 (MT) / | 3.505 (CVT) | |
| | 2nd | 1.947 | | usly variable (CVT) | 2.238 (9 | #:2.522) | 1.888 (MT) / | 2.285 (CVT) | |
| | 3rd | 1.296 | 1.658 / Continuously variable (CVT) | | 1.641 (S | 5#:1.940) | 1.062 (MT) / | 1.567 (CVT) | |
| | 4th | 1.029 | 1.208 / Continuously variable (CVT) | | | #:1.527) | 0.785 (MT) / | | |
| | 5th | 0.825 | 0.885 / Continuously variable (CVT) | | | 5#:1.201) | 0.634 (MT) / | | |
| (S# = SI-Drive Sport Sharp Mode) | 6th | 0.738 | 0.618 / Continuou | ısly variable (CVT) | | # 0.976) | 0.557 (MT) / | | |
| | 7th | | n/a | | (| .800) | 0.582 | · | |
| | 8th | | n/a | | |).664) | n/ | | |
| Gear ratio – reverse | | 4.072 | 3.6 | | | 345 | 3.636 (MT) / 2.345 (CVT) | | |
| Final reduction gear ratio | | 4.444 | 3.9 | 200 | 4. | 4.111 | | 4.444 (MT) / 4.111 (CVT) | |

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. All performance data measured using 95RON as required by Australian Design Rule 81/02. Vehicles tested in accordance with ADR 81/02. Acceleration test performed under controlled conditions. 3. Fuel consumption figures quoted are measured in accordance with Australian Design Rule 81/02 and are for comparison purposes only. Real world results may vary based on individual driving circumstances e.g. traffic conditions, driving style, vehicle conditions, fuel quality, climatic conditions etc.

Forester specifications¹

| ENGINE TYPE | NAT | NATURALLY ASPIRATED TURBOCHARGED PETROL | | | TURBOCHARGED DIESEL | | | | | |
|---|--|--|-------------------|--------------------|-----------------------|----------------|----------------|--|--|--|
| Model Variant | 2.0i-L | 2.5i-L | 2.5i-S | 2.0XT | 2.0XT Prem | 2.0D-L | 2.0D-S | | | |
| Symmetrical All-Wheel Drive | | ı | | | | | | | | |
| Type Mai | ual Centre Differential with Viscous Limited Slip Differential | n/a Centre Differentia Viscous Limited Slip D | | | | | | | | |
| Д | uto n/a | | | Active | Torque Split | | | | | |
| Steering | | | | | | | | | | |
| Steering | | Electric power assistance rack and pinion | | | | | | | | |
| Minimum turning circle | m | | | 10.6 | | | | | | |
| Suspension | | | | | | | | | | |
| Type Fi | ont | M | acPherson struts | , lower L-arms, co | oil springs, stabiliz | er bar | | | | |
| F | ear | | Double wishb | one type, indepe | endent suspensio | n | | | | |
| Brakes | | | | | | | | | | |
| Type Fr | ont | | | Ventilated disc b | rake | | | | | |
| F | ear | Solid disc brake Ventilated disc brake | | | | | | | | |
| Brake booster type | | | | Tandem | | | | | | |
| ABS | | 4-ch | annel, 4-sensor A | ABS with Electron | ic Brakeforce Dist | tribution | | | | |
| Wheels and Tyres | | | | | | | | | | |
| Tyre manufacturer | Yoko | ohama | | Bridgestone | | Yokohama | Bridgestone | | | |
| Tyres (width/profile/size/load index/speed rating | 225/60 | R17 99H | | 225/55 R18 98 | | 225/60 R17 99H | 225/55 R18 98H | | | |
| Rim size | 17 | 7x7J | | 18x7J | | 17x7J | 18x7J | | | |
| Spare wheel | | 17" | | 18" | | 17" | 18" | | | |
| Measurement | | | | | | | | | | |
| Overall length | nm | 4610 | | 4 | 595 | 46 | 10 | | | |
| Overall width / height | nm | | | 1795 / 1735 | | | | | | |
| Wheel base | nm | | | 2640 | | | | | | |
| Front / Rear track | nm | | | 1545 / 1555 | | | | | | |
| | nm | | | 220 | | | 422/1474 | | | |
| | | 2 / 1481 422 / 1481 422 / 1481 | | | | | | | | |
| Kerb weight ³ (MT / CVT) | kg 1527 | 1568 | 1571 | 1655 | 1657 | 1643 / 1698 | 1677 / 1729 | | | |
| Tare mass ³ | kg 1487 | 1528 | 1531 | 1615 | 1617 | 1603 / 1658 | 1637 / 1689 | | | |
| Seating capacity | | | | 5 | | | | | | |
| Towing | | | | | | | | | | |
| With / without trailer brakes (max) | kg | 1500 / 750 | | 1800 / 750 | | | | | | |
| Tow ball down load (max) | kg | 150 | | | 1 | 80 | | | | |

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Ground clearance at kerb weight. 3. Vehicle kerb weight and tare mass varies according to the types of optional equipment included.

| ENGINE TYPE | NAT | URALLY ASPIR | ATED | TURBOCHARGED PETROL TURBOCHA | | | ARGED DIESEL | |
|--|--------|--------------|--------|------------------------------|------------|--------|--------------|--|
| Model Variant | 2.0i-L | 2.5i-L | 2.5i-S | 2.0XT | 2.0XT Prem | 2.0D-L | 2.0D-S | |
| Safety Rating | | | | | | | ' | |
| 5 star ANCAP ² safety rating (maximum 5) | • | • | • | • | • | • | • | |
| Collision Avoidance | | | | | | | | |
| Symmetrical All-Wheel Drive (SAWD) | • | • | • | • | • | • | • | |
| Vehicle Dynamics Control system (VDC) featuring: | • | • | • | • | • | • | • | |
| Electronic Stability Control (ESC) | • | • | • | • | • | • | • | |
| Anti-lock Braking System (ABS) | • | • | • | • | • | • | • | |
| Electronic Brakeforce Distribution (EBD) | • | • | • | • | • | • | • | |
| Brake Assist | • | • | • | • | • | • | • | |
| Traction Control System (TCS) | • | • | • | • | • | • | • | |
| Active Torque Vectoring System | | | | | • | | CVT only | |
| 4-wheel disc brakes | • | • | • | • | • | • | • | |
| Hill Start Assist | • | • | • | • | • | • | • | |
| Rear view reverse camera | • | • | • | • | • | • | • | |
| Vision Assist featuring: | | | • | | • | | • | |
| Adaptive Driving Beam (ADB) | | | • | | • | | CVT only | |
| Blind Spot Monitor (BSM) | | | • | | • | | • | |
| Lane Change Assist (LCA) | | | • | | • | | • | |
| Rear Cross Traffic Alert (RCTA) | | | • | | • | | • | |
| Side View Monitor (SVM) | | | • | | • | | • | |
| Collision Protection | | | | | | | | |
| SRS³ airbags – dual front, dual front side, curtain and driver knee | • | • | • | | • | • | • | |
| Front seat belts with pretensioners and load limiters | • | • | • | • | • | • | • | |
| 3 point A/ELR rear seat belts | • | • | • | • | • | • | • | |
| Height adjustable seat belt anchors – driver and front passenger | • | • | • | | • | • | • | |
| Height and angle adjustable front seat headrests | • | • | • | • | • | • | • | |
| Height adjustable rear seat headrests | • | • | • | • | • | • | • | |
| Rear seat headrests for 3 seating positions | • | • | • | • | • | • | • | |
| Ring-shaped passenger safety cell | • | • | • | • | • | • | • | |
| Seat belt warning lights – all seats | • | • | • | • | • | • | • | |

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. The Australasian New Car Assessment Program (ANCAP) gives consumers consistent information on the level of occupant protection provided by vehicles in serious front and side crashes. 3. SRS: Supplemental Restraint System. Effective when used in conjunction with seat belts.

| ENGINE TYPE | NAT | URALLY ASPIR | ATED | TURBOCHARGED PETROL TURBOC | | | OCHARGED DIESEL | |
|---|---------|--------------|---------|----------------------------|------------|----------|-----------------|--|
| Model Variant | 2.0i-L | 2.5i-L | 2.5i-S | 2.0XT | 2.0XT Prem | 2.0D-L | 2.0D-S | |
| Child Safety | | | | | | | | |
| Child seat anchor points (x3) | • | • | • | • | • | • | • | |
| ISOFIX anchor points (x2) | • | • | • | | • | • | • | |
| Rear door child locks | • | • | • | • | • | • | • | |
| Intelligent Driving Dynamics | | | | 1 | | l | | |
| Auto Stop Start | • | • | • | | | | | |
| Subaru Intelligent Drive (SI-Drive) | 2 modes | 2 modes | 2 modes | 3 modes | 3 modes | | | |
| EyeSight® Driver Assist system featuring: | | | • | | • | | CVT only | |
| Adaptive Cruise Control | | | • | | • | | CVT only | |
| Brake Light Recognition | | | • | | • | | CVT only | |
| Lane Departure Warning | | | • | | • | | CVT only | |
| Lane Keep Assist | | | • | | • | | CVT only | |
| Lane Sway Warning | | | • | | • | | CVT only | |
| Lead Vehicle Start Alert | | | • | | • | | CVT only | |
| Pre-Collision Braking System | | | • | | • | | CVT only | |
| Pre-Collision Brake Assist | | | • | | • | | CVT only | |
| Pre-Collision Throttle Management | | | • | | • | | CVT only | |
| Electronic Throttle Control system (ETC) | • | • | • | • | • | • | • | |
| X-Mode | | • | • | • | • | CVT only | CVT only | |
| Exterior | | • | | | | | | |
| Body coloured mirrors and door handles | • | • | • | • | • | • | • | |
| Bonnet with gas strut | • | • | • | • | • | • | • | |
| Chrome type side skirt garnish | | | | • | • | | | |
| Chrome type window sills | • | • | • | • | • | • | • | |
| Door mirrors with indicators | • | • | | • | | • | | |
| Door mirrors with indicators – heated | | | • | | • | | • | |
| Dual tail pipes | | | | • | • | | | |
| Electric sunroof | | | • | • | • | | • | |
| Engine cover | | | | • | • | • | • | |
| Exterior grade badge | | | | • | • | • | • | |
| Front and rear wipers | • | • | • | • | • | • | • | |
| Fuel cap – tethered | • | • | • | • | • | • | • | |
| Full size spare alloy wheel | • | • | • | • | • | • | • | |
| Privacy glass - rear door, rear quarter and rear windscreen | • | • | • | • | • | • | • | |
| Rear spoiler | • | • | • | • | • | • | • | |

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice.

| ENGINE TYPE | NAT | URALLY ASPIR | ATED | TURBOCHARGED PETROL TURBOCHA | | | RGED DIESEL |
|---|---------|--------------|--------|------------------------------|------------|---------|-------------|
| Model Variant | 2.0i-L | 2.5i-L | 2.5i-S | 2.0XT | 2.0XT Prem | 2.0D-L | 2.0D-S |
| Exterior (continued) | | | | | · | | |
| Roof rails | • | • | • | Silver | Silver | • | • |
| Shark fin antenna | • | • | • | • | • | • | • |
| Tail pipe covers | • | • | • | • | • | • | • |
| 17" alloy wheels | • | • | | | | • | |
| 18" alloy wheels | | | • | • | • | | • |
| Lighting - Exterior | | | | | | | • |
| Daytime running lights | Halogen | Halogen | LED | LED | LED | Halogen | LED |
| Front fog lights | • | • | • | • | • | • | • |
| Headlights – dusk-sensing | | | • | • | • | | • |
| Headlights – halogen with auto off | • | • | | | | • | |
| Headlights – self-levelling LED with auto off | | | • | • | • | | • |
| Rear bumper reflector(s) | • | • | • | • | • | • | • |
| Rear LED stoplight | • | • | • | • | • | • | • |
| Rear LED combination lights | • | • | • | • | • | • | • |
| Steering Responsive Headlights (SRH) | | | • | • | • | | • |
| Lighting – Interior | | | | | | | |
| Cabin and cargo area lights | • | • | • | • | • | • | • |
| Illuminated ignition ring | • | • | | | | • | |
| Map lights (x2) | • | • | • | • | • | • | • |
| Air-conditioning | | | | • | | | |
| Air-conditioning – dual zone climate control | • | • | • | • | • | • | • |
| Anti-dust filter | • | • | • | • | • | • | • |
| Front and side demisters | • | • | • | • | • | • | • |
| Floor heater ducts for rear passengers | • | • | • | • | • | • | • |
| Rear windscreen demister – electric | • | • | • | • | • | • | • |
| Security | | | | | | | |
| Immobiliser security system | • | • | • | • | • | • | • |
| DataDotDNA®2 security system | • | • | • | • | • | • | • |
| Instrumentation and Controls | • | * | • | * | • | | |
| Adjustable steering wheel – height and telescopic | • | • | • | • | • | • | • |
| Electroluminescent gauges with colour MID | • | • | • | • | • | • | • |
| Hazard warning indicators | • | • | • | • | • | • | • |
| Instrument cluster | • | • | • | • | | • | • |

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. DataDotDNA® is a theft deterrent not a theft prevention mechanism.

| ENGINE TYPE Model Variant | NATURALLY ASPIRATED | | | TURBOCHA | RGED PETROL | TURBOCHARGED DIESEL | |
|---|---------------------|--------|--------|----------|-------------|---------------------|----------|
| | 2.0i-L | 2.5i-L | 2.5i-S | 2.0XT | 2.0XT Prem | 2.0D-L | 2.0D-S |
| Instrumentation and Controls (continued) | | 1 | | | | | 1 |
| Manual mode | | • | • | • | • | CVT only | CVT only |
| One touch lane change indicator | • | • | • | • | • | • | • |
| Paddle gear shifters | | • | • | • | • | CVT only | CVT only |
| Sports pedals | | | | • | • | | |
| Twin trip meter (switchable) | • | • | • | • | • | • | • |
| Steering wheel controls: | • | • | • | • | • | • | • |
| Audio | • | • | • | • | • | • | • |
| Cruise | • | • | • | • | • | • | MT only |
| Bluetooth®2 | • | • | • | • | • | • | • |
| EyeSight® | | | • | | • | | CVT only |
| MID | • | • | • | • | • | • | • 1 |
| SI-Drive | • | • | • | • | • | | |
| Multi-Information Display unit (MID) featuring: | • | • | • | • | • | • | • |
| 3.5" LCD screen | • | • | • | • | • | • | • |
| Journey information | • | • | • | • | • | • | • |
| EyeSight® display | | | • | | • | | CVT only |
| Auto Stop Start information | • | • | • | | | | |
| SI-Drive display | • | • | • | • | • | | |
| Warning display | • | • | • | • | • | • | • |
| X-Mode display | | • | • | • | • | CVT only | CVT only |
| Digital speedometer | • | • | • | • | • | • | • |
| Multi-Function Display unit (MFD) featuring: | • | • | • | • | • | • | • |
| 4.3" LCD screen | • | • | • | • | • | • | • |
| Outside temperature and clock display | • | • | • | • | • | • | • |
| Fuel economy and journey information | • | • | • | • | • | • | • |
| Air-conditioning and seat belt display | • | • | • | • | • | • | • |
| Eco-gauge information | • | • | • | • | • | • | • |
| EyeSight® display | | | • | | • | | CVT only |
| Turbo boost pressure display | | | | • | • | | CVT only |
| VDC operating information display | • | • | • | | • | • | • |
| Vehicle condition/maintenance self-check | • | • | • | • | • | • | • |
| Warning display | • | • | • | • | • | • | • |
| X-Mode display | | • | • | • | • | CVT only | CVT only |

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Bluetooth® is a registered trademark of Bluetooth SIG Inc. System operation ability is subject to the Bluetooth® wireless technology specification of individual's device.

| ENGINE TYPE | NAT | URALLY ASPIR | ATED | TURBOCHARGED PETROL TURBO | | | BOCHARGED DIESEL | |
|--|--------|--------------|--------|---------------------------|------------|----------|------------------|--|
| Model Variant | 2.0i-L | 2.5i-L | 2.5i-S | 2.0XT | 2.0XT Prem | 2.0D-L | 2.0D-S | |
| Storage | | | | | | | | |
| Cargo hooks | • | • | • | • | • | • | • | |
| Centre console box – sliding armrest | | • | • | • | • | CVT only | CVT only | |
| Cupholders – centre console | • | • | • | • | • | • | • | |
| Cupholders – rear | • | • | • | • | • | • | • | |
| Door pockets with integrated bottle holder – front and rear | • | • | • | • | • | • | • | |
| Front centre tray | • | • | • | • | • | • | • | |
| Overhead console – sunglass | • | • | | • | | • | MT only | |
| Pull-out cargo area tie down points | • | • | • | • | • | • | • | |
| Rear view mirror | • | • | • | • | • | • | • | |
| Retractable cargo security blind | • | • | • | • | • | • | • | |
| Seat back pocket – driver and front passenger | | | • | | • | | • | |
| Seat back pocket – front passenger side | • | • | | • | | • | | |
| Convenience | | | | | | | | |
| 12v/120W power jacks (x3) | • | • | • | | • | • | • | |
| Boot unlock on remote central locking keys | • | • | • | • | • | • | • | |
| Driver's footrest | • | • | • | • | • | • | • | |
| Interior fuel lid lock release | • | • | • | | | • | • | |
| Intermittent variable front windscreen wipers | • | • | • | • | • | • | • | |
| Rain-sensing front windscreen wipers | | | • | • | • | | • | |
| Front wiper de-icer | | | • | | • | | • | |
| Power mirrors and windows – driver and front passenger window with auto function | • | • | • | • | • | • | • | |
| Powered rear gate | | | • | | • | | • | |
| Power steering | • | • | • | • | • | • | • | |
| Rear seat centre armrest | • | • | • | • | • | • | • | |
| Remote central locking | • | • | • | | • | • | • | |
| Smart key and push-start ignition | | | • | • | • | | • | |
| Interior Trims | | | | | | | | |
| Cargo area carpet colour – black | • | • | • | | • | • | • | |
| Carpet trim – black | • | • | • | • | • | • | • | |
| Instrument panel finish – silver and gloss black | • | • | • | | • | • | | |
| Leather ² steering wheel and gear shift | • | • | | | • | • | | |

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Some parts of the seating or trim are not full natural leather.

| ENGINE TYPE | NAT | URALLY ASPI | RATED | TURBOCHAR | GED PETROL | TURBOCHARGED DIESEL | |
|--|--------|-------------|-------------|---------------|-------------|---------------------|-------------|
| Model Variant | 2.0i-L | 2.5i-L | 2.5i-S | 2.0XT | 2.0XT Prem | 2.0D-L | 2.0D-S |
| Interior Trims (continued) | | | | | | | |
| Seat trim – cloth | • | • | | Premium cloth | | • | |
| Seat trim – leather ² | | | • | | • | | • |
| Seat trim colour – choice of black or grey | • | • | • | Black only | • | • | • |
| Seating Extras | | | | | | | |
| 60 / 40 split folding rear seats | • | • | • | • | • | • | • |
| 8-way power seat – driver | | | Dual memory | • | Dual memory | | Dual memory |
| 8-way power seat – front passenger | | | • | | • | | • |
| Heated seats – driver and front passenger | | | • | | • | | • |
| Manual seat height lifter – driver | • | • | | | | • | |
| One touch electric folding rear seats | • | • | • | • | • | • | • |
| Reclining rear seat | • | • | • | • | • | • | • |
| Entertainment | | | | | | | |
| Integrated infotainment system featuring: | • | • | • | • | • | • | • |
| Satellite navigation | | | • | | • | | • |
| AM/FM radio | • | • | • | • | • | • | • |
| 6 speakers | • | • | • | • | | • | • |
| 8 harman kardon®3 speakers with amplifier | | | | | • | | |
| Siri® compatibility | • | • | • | • | • | • | • |
| Single CD player | • | • | • | • | • | • | • |
| 7" LCD touchscreen | • | • | • | • | • | • | • |
| Bluetooth®4 wireless technology with: | • | • | • | • | • | • | • |
| Handsfree mobile communication | • | • | • | • | • | • | • |
| Audio streaming⁵ | • | • | • | • | • | • | • |
| Voice command recognition | • | • | • | • | • | • | • |
| Auxiliary jack – front centre console | • | • | • | • | • | • | • |
| USB connection – front centre console (x2) | • | • | • | • | • | • | • |
| Warranty | | | | | | | |
| 3 Year/Unlimited Km Warranty | • | • | • | • | • | • | • |
| 3 Year/75,000 Km Capped Price Servicing ⁶ | • | • | • | • | • | • | • |
| 12 Month Roadside Assistance Program ⁷ | • | • | • | • | • | • | • |

^{1.} Subaru Australia reserves the right to change mechanical specification and equipment levels without notice. 2. Some parts of the seating or trim are not full natural leather. 3. harman kardon® is a registered trademark of HARMAN International Industries, Incorporated. 4. Bluetooth® is a registered trademark of Bluetooth SIG Inc. System operation ability is ubject to the Bluetooth® wireless technology specification of individual's device. 5. There may be restrictions on features available for certain variants that are not fully compliant with AVCRP. 6 Every brand new 2018 Subaru Forester comes with Subaru's 3 Year/75,000 Kilometre Capped Price Servicing Program. Available at participating Subaru Retailers only and does not apply to rental and some other classes of vehicles. For full Capped Price Servicing Terms and Conditions visit subaru.com. au/owner-experience/benefits/program/roadside.