## **MY24 REXTON TECHNICAL SPECIFICATIONS**

ADVENTURE

SPORT PACK

ULTIMATE

236

1806

2130

2960

6460

750

3500

350

70

		ELX	ADVENTURE	ULTIMATE	SPORT PACK	
Engine						
Туре			2.2L Turbo Diese	el Direct Injection		
Capacity (cc)			21	.57		
Compression ratio				.5:1		
Bore x stroke (mm)				x 92.4		
	oram)					
Maximum power (kW@		149 @ 3800 441 @ 1600-2600				
Maximum torque (Nm(	@rpm)		441 @ 1	600-2600		
ransmission			0 11:01			
Туре				y-wire automatic		
	1st	3.665				
	2nd	2.396				
	3rd			510		
	4th		1.:	190		
Gear ratios	5th		1.0	000		
Gedi Fatios	6th		0.8	326		
	7th		0.0	543		
	8th		0.!	556		
	Reverse		2.3	273		
	Final drive	3.910:1				
	Туре	Part-time 4WD with selectable low range and auto-locking rear differential				
Transfer case	4H	1.000:1				
	4L	2.483:1				
uspension & Brakes						
Front suspension		Double wishbone with coil springs & stabiliser bar				
Rear suspension			Independent multi-link with	n coil springs & stabiliser ba	ır	
Front brakes		Ventilated discs				
Rear brakes		Ventilated discs				
teering						
Туре		Power Steering (PAS)	Spee	ed Sensitive Power Steering	(SSPS)	
Turning circle kerb to kerb (m)				1	(	
Vheels & Tyres						
Wheel type			Diamond cut alloy		Shadow chrome allo	
Wheel size			18-inch		20-inch	
Tyre size			255/60R18		255/50R20	
				an allow	233/30K20	
Spare wheel	alesiane		ruii Si.	ze alloy		
uel Consumption & En	ilissions		Di	and .		
Fuel type	** * // /real . )	Diesel				
Combined Fuel consum		8.7				
Combined CO <sub>2</sub> emission	ns (g/km)	223				
Emissions standard		Euro 6				
	2 fuel consumption figures are obtained from standard dynomome	eter test conducted under labora	tory conditions. Actual on-roa	d fuel consumption will depen	d on factors such as traffic	
anditions vahicle condition		icle comparisions only				
	and load, and driving behaviour. AD 81/02 test results enable vehi	icle comparisions only.				
xterior Dimensions		icle comparisions only.	45	250		
overall length (mm)		icle comparisions only.		350		
Overall width (mm)		icle comparisions only.	19	960		
Overall leight (mm) Overall width (mm) Overall height (mm)		icle comparisions only.	19 1825 (inc	roof rails)		
Overall width (mm)		icle comparisions only.	19 1825 (incl 28	o60 roof rails) 865		
Overall length (mm) Overall width (mm) Overall height (mm) Wheelbase (mm)		icle comparisions only.	19 1825 (incl 28	roof rails)		
Overall length (mm) Overall width (mm) Overall height (mm) Wheelbase (mm)	and load, and driving behaviour. AD 81/02 test results enable vehicles and the second	icle comparisions only.	19 1825 (inc 28 20.5 / 20	o60 roof rails) 865		
overall length (mm) Overall width (mm) Overall height (mm) Overall height (mm) Wheelbase (mm) Approach / departure /	and load, and driving behaviour. AD 81/02 test results enable vehicles and behaviour and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles are supported by the load of the	icle comparisions only.	19 1825 (inc 28 20.5 / 20 16	060 roof rails) 065 0.5 / 20.0		
Overall length (mm) Overall width (mm) Overall height (mm) Overall height (mm) Wheelbase (mm) Approach / departure / Track - front & rear (mr	and load, and driving behaviour. AD 81/02 test results enable vehicles and behaviour and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles are supported by the load of the load	icle comparisions only.	19 1825 (inc 28 20.5 / 20 16 895 /	060 roof rails) 065 0.5 / 20.0		
Overall length (mm) Overall width (mm) Overall height (mm) Wheelbase (mm) Approach / departure / Track - front & rear (mr Overhang - front/rear ( Minimum ground clear	and load, and driving behaviour. AD 81/02 test results enable vehicles and behaviour and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles are supported by the load of the load	icle comparisions only.	19 1825 (inc 28 20.5 / 20 16 895 /	960 roof rails) 965 9.5 / 20.0 940 1090		
Overall length (mm) Overall width (mm) Overall height (mm) Overall height (mm) Wheelbase (mm) Approach / departure / Track - front & rear (mr Overhang - front/rear ( Minimum ground clear	and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles and load.	icle comparisions only.	1925 (inc 1825 (inc 28 20.5 / 20 16 895 / 2	960 roof rails) 965 9.5 / 20.0 940 1090		
Atterior Dimensions  Overall length (mm)  Overall width (mm)  Overall height (mm)  Wheelbase (mm)  Approach / departure /  Track - front & rear (mr  Overhang - front/rear (  Minimum ground clear  Atterior Dimensions  Head room front / 2nd	and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles are results enable vehicles. The results enable vehicles are results enable vehicles are results enable vehicles. The results enable vehicles are results enable vehicles are results enable vehicles. The results enable vehicles are results enable vehicles are results enable vehicles. The results enable vehicles are results enable vehicles are results enable vehicles. The results enable vehicles are results enable vehicles are results enable vehicles are results enable vehicles. The results enable vehicles are results enable vehicles are results enable vehicles. The results enable vehicles are results enable vehicles are results enable vehicles. The results enable vehicles enable	icle comparisions only.	1925 (inc 1825 (inc 28 20.5 / 20 16 895 / 2	roof rails) 665 9.5 / 20.0 640 7 1090		
Overall length (mm) Overall width (mm) Overall height (mm) Overall height (mm) Wheelbase (mm) Approach / departure / Track - front & rear (mr Overhang - front/rear ( Minimum ground clear Exterior Dimensions Head room front / 2nd Leg room front / 2nd	and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles are results enable vehicles.  Tramp break over angle (degrees)  m)  mm)  ance (mm)  row (mm)	icle comparisions only.	15 1825 (inc 28 20.5 / 20 16 895 / 2 1014 1050	760 700 f rails) 765 70.5 / 20.0 7090 7090 7091 7095		
Overall length (mm) Overall width (mm) Overall height (mm) Wheelbase (mm) Approach / departure / Track - front & rear (mr Overhang - front/rear ( Minimum ground clear Exterior Dimensions Head room front / 2nd Leg room front / 2nd ro	and load, and driving behaviour. AD 81/02 test results enable vehicles and load, and driving behaviour. AD 81/02 test results enable vehicles are results enable vehicles.  Tramp break over angle (degrees)  m)  mm)  ance (mm)  row (mm)	icle comparisions only.	19 1825 (inc 28 20.5 / 20 16 895 / 2 1014 1050 1515	roof rails) 665 9.5 / 20.0 640 1 1090 03		

2nd row up (to top of 2nd row seat back)

3rd row up (to top of 3rd row seat back)

Max. capacity (to roof rows 2 & 3 seats folded)

Cargo volume VDA (L)

Gross Vehicle Mass - GVM (kg)

Gross Combined Mass - GCM(kg)

Towing capacity - unbraked (kg)

Towing capacity - braked (kg)

Maximum towball load (kg)

Fuel tank capacity (L)

Weights & Capacities

Kerb mass (kg)

## **MY24 REXTON MODEL FEATURES**

		ELX	ADVENTURE	ULTIMATE	SPORT PACK
Safety & ADAS			l		
<u> </u>	Braking (AEB)	✓	✓	✓	✓
Autonomous Emergency Braking (AEB) Forward Collision Warning (FCW)		<b>√</b>	· · · · · · · · · · · · · · · · · · ·	· ✓	<b>√</b>
Lane Departure Warning (LDW)		✓	✓	✓	✓
Lane Change-collision Warning (LCW)		✓	✓	✓	✓
Safety Distance Alert (SD.		✓	✓	✓	✓
Smart High Beam (SHB)		✓	✓	✓	✓
Front Vehicle Start Warni	ng (FVSW)	✓	✓	✓	✓
Driver Attention Warning		✓	✓	✓	✓
Blind Spot Warning (BSW	)	✓	✓	✓	✓
Rear Cross Traffic Warnin		✓	✓	✓	✓
Safety Exit Warning (SEW	- ')	✓	✓	✓	✓
Electronic Stability Progra		✓	✓	✓	✓
Anti-Lock Braking System		✓	✓	✓	<b>✓</b>
Traction Control System		✓	✓	✓	<b>✓</b>
Electronic Brakeforce Dis		<b>√</b>	<i>✓</i>	√ ·	<b>√</b>
Emergency Stop Signal (E		<b>✓</b>	<u> </u>	<i>√</i>	<b>√</b>
Brakeforce Assist System		<b>√</b>	· ✓	√ ·	<b>√</b>
Active Rollover Protectio		<b>√</b>	· ✓	<i>,</i>	· ✓
Trailer Sway Control		<b>√</b>	<b>→</b>	<b>,</b>	· /
Hill Start Assist (HSA)		<b>√</b>	<b>→</b>	<b>,</b> ✓	<b>→</b>
	-1	<i>J</i>	<b>→</b>	<b>∀</b>	<b>→</b>
Hill Descent Control (HDC Automatic Vehicle Hold (		<b>V</b>	<b>→</b>	<b>∀</b>	<b>→</b>
		<b>*</b>	<b>→</b>	<b>∀</b>	<b>→</b>
Parking wheel direction in		<b>Y</b>			
Front & rear parking sens	ors	<b>Y</b>	✓	✓	<b>√</b>
Reverse Camera		✓	<b>√</b>	<b>√</b>	✓
360° camera		\$c	30	✓	✓
Restraint			,	,	,
Dual front, side & curtain		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Driver's knee protection		<b>Y</b>	<b>√</b>	<b>√</b>	<b>√</b>
	Emergency Locking Retractor (ELR)	<b>√</b>	✓	✓	<b>✓</b>
Front seatbelts	Pretentioners	<b>√</b>	✓	✓	✓
	Load limiters	✓	✓	✓	✓
	Height adjustable shoulder anchor	✓	✓	✓	✓
	Emergency Locking Retractor (ELR)	✓	✓	✓	✓
Rear seatbelts	Pretentioners	✓	✓	✓	✓
	Load limiters	✓	✓	✓	✓
Seatbelts reminders	Front & 2nd row	✓	✓	✓	✓
Rear seat child anchors	ISOFIX (2) Top tethers (3)	✓	✓	✓	✓
omfort & Convenience					
Cruise control		✓	✓	✓	✓
Dual-zone climate contro	I	✓	✓	✓	✓
2nd row A/C vents		✓	✓	✓	✓
3rd row A/C vents & fan	3rd row A/C vents & fan controls		30	✓	✓
Drive mode select - ECO/Performance/Winter		✓	✓	✓	✓
Power steering		✓	✓	✓	✓
Speed Sensitive Power Steering (SSPS)		3c	✓	✓	✓
Tilt & telescopic steering column		✓	✓	✓	✓
Remote control keys with central locking		✓	✓	✓	✓
Push button start/stop		✓	✓	✓	✓
Walk-up welcome system (mirrors unfold & puddle lamps illuminate)		30	✓	✓	✓
Power windows - front auto up & down		✓	✓	✓	✓
Power windows - front & rear auto up & down		3c	30	✓	✓
Remote-controlled windows opening/closing		3c	3c	✓	✓
Electric Park Brake (EPB) with auto-hold		✓	✓	✓	✓
Power sunroof			je je	✓	✓
Smart power tailgate		3c	✓	✓	✓
Tyre Pressure Monitoring System (TPMS)		JC JC	· ·	✓	· ·
	Auto-dimming rear view mirror		· ✓	<i>'</i>	·
		<i>✓</i>	· · ·	<b>,</b>	· · ·
Speed & Rain sensing front wipers		<b>√</b>	<b>→</b>	<b>√</b>	· · · · · · · · · · · · · · · · · · ·
IISB-C Ports - 2 front 8 2	USB-C Ports - 2 front & 2nd row centre console  12V power outlets - front console box, 2nd row centre console & cargo area			•	
		1	✓	1	✓

## **MY24 REXTON MODEL FEATURES**

	ELX	ADVENTURE	ULTIMATE	SPORT PACK
nterior			· 	
12.3-inch colour LCD instrument cluster	✓	✓	✓	✓
Leather steering wheel with multifunction controls & paddle gear shifts	· ·	<b>→</b>	<b>√</b>	· · ·
Electronic gear selector		· · · · · · · · · · · · · · · · · · ·	· ·	· /
Heated steering wheel	de de	· · · · · · · · · · · · · · · · · · ·	· ·	· ·
Extendable front sunvisors with illumination vanity mirrors		· · · · · · · · · · · · · · · · · · ·	· ·	· · ·
LED interior lighting		· · · · · · · · · · · · · · · · · · ·	· ·	· · · · · · · · · · · · · · · · · · ·
Ambient interior mood lighting	de de	je je	1	· · · · · · · · · · · · · · · · · · ·
Stainless steel scuff plates	- /	<i>~</i>	<b>,</b> ✓	· · · · · · · · · · · · · · · · · · ·
Illuminated front door scuff plates	de de	je je	· · · · · · · · · · · · · · · · · · ·	<b>√</b>
Front centre console armrest with storage box	- /		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
	- /	<b>→</b>	- /	· · · · · · · · · · · · · · · · · · ·
Centre console cup holders with sliding cover	· · ·	<b>→</b>	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Folding rear centre armrest with storage box & cup holders	· · ·	<b>→</b>	<b>∀</b>	· · · · · · · · · · · · · · · · · · ·
Overhead console with seat belt reminders	*	<b>→</b>	<b>∀</b>	<b>Y</b>
Front & rear door storage pockets with cup/bottle holders	<b>*</b>			<b>*</b>
2nd row entry assist grab handles	✓	✓	✓	✓
xterior	,			
LED Headlights with integrated LED turn signal	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Headlight levelling	<b>V</b>	<b>*</b>	<b>V</b>	<b>V</b>
Automatic on/off headlights	<b>∀</b>	<b>√</b>	<b>√</b>	4
Touch-sensing central locking front door handles	JC /	<b>√</b>	<b>√</b>	<b>√</b>
LED Daytime Running Lights (DRL)	*	✓	· ·	<b>*</b>
LED front fog lamps	<b>✓</b>	✓	✓	<b>✓</b>
Shadow chrome front fog lamp trim	3c	30	JC	<b>✓</b>
Shadow chrome diamond-style front grille	3c	30	x	<b>√</b>
Shadow chrome tailgate garnish	3c	30	*	✓
Shadow chrome rear skid plate garnish	3c	×	*	✓
Bright chrome diamond-style front grille	✓	✓	✓	3c
Bright chrome tailgate garnish	✓	✓	✓	3C
Bright chrome rear skid plate garnish	✓	✓	✓	JC JC
Door mirrors - power adjustable, power folding & heated	✓	✓	✓	✓
Door mirrors - integrated LED indicators and puddle lamps	✓	✓	✓	✓
Door mirrors with reverse auto-down	3c	30	✓	✓
Silver roof rails	✓	✓	✓	✓
Black roof rails	JC JC	×	æ	✓
Clean style lower inner door seals	✓	✓	✓	✓
LED rear combination lamps	✓	✓	✓	✓
LED Center High Mounted Stop Light (CHMSL)	✓	✓	✓	✓
Tailgate spoiler	✓	✓	✓	✓
Acoustic windscreen	✓	✓	✓	✓
Privacy Rear Door & Tailgate Glass	3c	30	✓	✓
eating				
7 seat configuration	✓	✓	✓	✓
Fabric seats	✓	30	x	3c
Leather look seats	3c	✓	3C	JC JC
Premium quilted leather seats**	3c	jc	✓	✓
Driver's seat memory system including door mirrors	3c	30	✓	✓
Driver's seat power adjustment with lumbar	3c	✓	✓	✓
Passenger seat power adjustment	JC JC	✓	✓	<b>✓</b>
Heated front seats	30	· ✓	<b>✓</b>	<i>'</i>
Heated 2nd row outer seats	3c	· ✓	1	1
Cool vented front seats	Jc Jc	· · · · · · · · · · · · · · · · · · ·	·	<b>√</b>
Folding, reclining & tumble 60/40 2nd row seats	<i>J</i>	<b>→</b>	<b>,</b> ✓	<b>✓</b>
Folding 50/50 3rd row seats	<b>∀</b>	<b>→</b>	<b>∀</b>	<b>→</b>
**Leather seats may have elements of sythetic materials	•	<b>V</b>	•	•
udio & Multimedia				
12.3-inch Smart Audio with touchscreen	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Apple CarPlay & Android Auto	<b>V</b>	✓	<b>√</b>	¥
6 speakers	<b>V</b>	✓	<b>√</b>	<b>V</b>
Multi-pairing Bluetooth® hands free	<b>√</b>	✓	✓,	<b>√</b>
Roof mounted antenna	✓	✓	✓	✓
ecurity				
Speed activated door-locking	✓	✓	✓	✓
Walk-away auto door locking	3c	✓	✓	✓
Immobiliser & Theft alarm	✓	✓	✓	✓
Electric steering column lock	✓	✓	✓	✓