



VOLKSWAGEN TRANSPORTER Features and specifications	Van (SWB & LWB) MY16	Crewvan (SWB & LWB) MY16	Single Cab (LWB) MY16	Dual Cab (LWB) MY16
SAFETY AND SECURITY				
S = Standard O = Optional Extra - Not Available				
Airbags				
Front airbag for driver and front passenger	S	S	S	S
Side/head airbags for driver and front passenger	S	S	S	S
Seat belts				
3-point seat belts with height adjustment and belt tensioners for driver and front passenger	S	S	S	S
3-point seat belts in 2nd row of seats, outer seats with seat belt tensioners	-	S	-	S
Seat belt warning light and buzzer for driver's seat	S	S	S	S
Child Restraints				
Child seat top tether anchorage points (for 2nd row outer seats)	-	S	-	-
ISOFIX child seat anchorage points (for 2nd row outer seats)	-	S	-	-
Brakes and Traction Control				
Multi-collision brake (MCB)	S	S	S	S
Electronic Stabilisation Programme (ESP)	S	S	S	S
Anti-lock Braking System (ABS)	S	S	S	S
Brake Assist system (BA)	S	S	S	S
Traction Control System (TCS)	S	S	S	S
Electronic Differential Lock (EDL)	S	S	S	S
Hill hold control	S	S	S	S
Driver Assistance Technology				
Driver Alert (Fatigue Detection System)	S	S	S	S
Rear park distance control, with acoustic warning	S	S	-	-
Rear view camera system (requires lifting tailgate)	O	O	-	-
Lighting				
Halogen headlights (H4)	S	S	S	S
Headlight range adjustment	S	S	S	S
Daytime running lights (DRL)	S	S	S	S
High stop light	S	S	-	-
Rear fog light	S	S	S	S
Locking				
Engine immobiliser (electronic)	S	S	S	S
Central locking system with radio remote control, and interior release mechanism	S	S	-	-
Central locking system with radio remote control	-	-	S	S
Two (2) remote control folding keys and one (1) rigid key	S	S	S	S
Child safety locks on rear sliding doors	-	S	-	-
Head Restraints				
Front safety optimised head restraints, height adjustable	S	S	S	S
Rear head restraints, height adjustable (3)	-	S	-	S
EXTERIOR EQUIPMENT / STYLING				
Roof				
Standard roof height	S	S	S	S
Medium roof height	O	O	-	-
High roof height (with high rear wing doors)	LWB ONLY	-	-	-
Doors				
Sliding door, left, in load/passenger compartment	S	S	-	-
Sliding door, right, in load/passenger compartment	O	S	-	-
Lifting tailgate with window	S	S	-	-
Rear wing doors with windows, asymmetrically split	O	O	-	-
Hinges for rear wing doors with opening angle of 250°	LWB ONLY	LWB ONLY	-	-



VOLKSWAGEN TRANSPORTER Features and specifications	Van (SWB & LWB) MY16	Crewvan (SWB & LWB) MY16	Single Cab (LWB) MY16	Dual Cab (LWB) MY16
EXTERIOR EQUIPMENT / STYLING (CONT'D)				
S = Standard O = Optional Extra - Not Available				
Windows				
Heat-insulating windshield made of laminated glass	S	S	S	S
Heat-insulating glass (green)	S	S	S	S
Windscreen wiper intermittent control	S	S	S	S
Heated rear window(s)	S	S	S	S
Rear window wiper/washer system	S	S	-	-
Power windows with comfort operation and circuit breaker (front)	S	S	-	-
Side windows (fixed) in rear doors	-	-	-	S
Side window (fixed) in sliding door, left	O	-	-	-
Side window (fixed) in sliding door or closed panel, right	O	-	-	-
Side window (slide opening) in sliding door, left	O	S	-	-
Side window (slide opening) in sliding door or closed panel, right	O	S	-	-
Body Enhancements				
Black bumpers	S	S	S	S
Body coloured bumpers	-	-	O	O
Body coloured bumpers, exterior mirror housings and door handles	O	O	-	-
Black exterior mirror housings and door handles	S	S	S	S
Body coloured sliding door rail cover	S	S	-	-
Black grained radiator grille with 1 decorative chrome molding	S	S	S	S
Front mud guards	S	S	S	S
Rear mud guards	S	S	-	-
Trailer hitch preparation	S	S	S	S
Wheels and Tyres				
16" steel wheels with centre wheel trim - 215/65 R16 C106/104T tyres	TDI340	S	S	-
17" steel wheels with centre wheel trim - 235/55 R16 103H rf tyres	TDI400	-	-	S
4 x 17" alloy wheels - DEVONPORT - 235/55 R16 103H rf tyres	O	O	O	O
Steel spare wheel - full size, OE tyre	S	S	S	S
Tool kit with vehicle jack	S	S	S	S
COMFORT AND CONVENIENCE				
Air Conditioning				
Front air conditioning system, "climatic" manual	S	S	S	S
Dust and pollen filter	S	S	S	S
Rear air conditioning system with 2nd evaporator, 2nd heater and separate controls	O	O	-	-
Cruise Control				
Cruise Control	S	S	S	S
Floor Covering				
Rubber floor covering in cab	S	S	S	S
Rubber floor covering in load/passenger compartment (includes step illumination)	O	S	-	-
Wooden floor covering in load area (includes step illumination)	O	-	-	-



VOLKSWAGEN TRANSPORTER Features and specifications	Van (SWB & LWB) MY16	Crewvan (SWB & LWB) MY16	Single Cab (LWB) MY16	Dual Cab (LWB) MY16
COMFORT AND CONVENIENCE (CONT'D)				
S = Standard O = Optional Extra – Not Available				
In-Car Entertainment and Technology				
<u>Composition Colour audio system</u> 5" colour touch screen display, AM/FM radio with phase diversity tuner, CD player (MP3/WMA compatible), AUX and SD card slot, external USB input, and four (4) speakers. Car menu with convenience and service settings. Includes display for park distance control.	S	S	S	S
<u>Composition Media audio system with App-Connect</u> 6.33" colour touch screen display with proximity sensor, AM/FM radio, CD player (MP3/WMA compatible), SD card slot, external AUX and USB inputs, and four (4) speakers. Car menu with convenience and service settings. Includes display for park distance control and air conditioning systems. App-Connect USB interface for Apple CarPlay®, Android Auto™ and MirrorLink® in front centre console.	O	O	O	O
<u>Discover Media audio and satellite navigation system with App-Connect and Media Control</u> 6.33" colour touch screen display with proximity sensor, AM/FM radio, CD player (MP3/WMA compatible), 2 x SD card slots for music and navigation data, external AUX and USB inputs, and four (4) speakers. 2D and 3D (bird's eye) map views. Car menu with convenience and service settings. Includes display for park distance control (if fitted) and air conditioning systems. App-Connect USB interface for Apple CarPlay®, Android Auto™ and MirrorLink® in front centre console.	O	O	O	O
Voice Control (available with Discover Media only) Bluetooth® phone connectivity with contacts display and Bluetooth® audio streaming, operation via touch screen audio unit or Multi-Function Display Audio, telephone, cruise control and Multi-Function Display controls mounted on steering wheel 12-volt socket on dashboard (cigarette lighter)	O S S S	O S S S	O S S S	O S S S
Instrumentation				
Speedometer & tachometer, electronic odometer and trip meter, service interval display, fuel and coolant gauges, low fuel warning light, adjustable illumination Multi-Function Display (MFD Plus) - trip time, trip length, average and current speed, average and current fuel consumption, display until empty and ambient temperature, digital clock, vehicle status, audio, telephone and navigation (if fitted) menus	S S	S S	S S	S S
Interior Lighting				
Reading lights, front Roof light in load compartment	S S	S S	S -	S -
Load Compartment				
Lashing rings for load restraint Hardboard side trim panels Additional hardboard side trim panels 12-volt socket Partition (high) with window	6 SWB 8 LWB S O S O	6 SWB 8 LWB S - - -	- - - - -	- - - - -
Mirrors				
Exterior mirrors (left: convex, right: aspherical) Exterior mirrors on extension braces (left: convex, right: convex) Exterior mirrors, power adjustable and heated Dimming breakaway interior rear view mirror	S - S S	S - S S	- S S S	- S S S
Power Steering				
Rack and pinion power steering	S	S	S	S



VOLKSWAGEN TRANSPORTER Features and specifications				
	Van (SWB & LWB) MY16	Crewvan (SWB & LWB) MY16	Single Cab (LWB) MY16	Dual Cab (LWB) MY16
COMFORT AND CONVENIENCE (CONT'D)				
S = Standard O = Optional Extra – Not Available				
Seating				
Height adjustment for driver's seat	S	S	S	S
Lumbar support (manually adjustable) for driver's seat	S	S	S	S
Front passenger bench seat with under-seat storage	O	-	S	O
3-seater bench in 2nd row of seats (folding, tipping, removable)	-	S	-	-
3-seater bench in 2nd row of seats (fixed, with under-seat storage)	-	-	-	S
Cloth seat covering "Austin"	S	S	S	S
Grab handle for front passenger	S	S	S	S
Grab handles on A pillar for driver and front passenger	-	-	S	S
Steering Wheel				
3 spoke leather covered steering wheel	S	S	S	S
Audio, telephone, cruise control and Multi-Function Display controls mounted on steering wheel	S	S	S	S
Steering wheel height and tilt adjustment	S	S	S	S
Storage				
Front door pockets	S	S	S	S
Front sunvisors with ticket holder	S	S	S	S
Overhead storage compartment	S	S	S	S
Glove compartment with lockable lid	S	S	S	S
Two (2) cup holders on upper dashboard	S	S	S	S
Central upper storage compartment (open)	S	S	S	S
Two (2) open storage compartments above glovebox	S	S	S	S
Two (2) small storage compartments between glovebox and gear lever	S	S	S	S
Open storage compartment in front of gear lever	S	S	S	S
Open storage area on either side of dashboard	S	S	S	S
Ashtray, portable	S	S	S	S
BODY BUILDER ITEMS				
Electrical interface (terminal block under driver's seat)	O	O	O	O
Second battery (with cut-off relay)	O	O	O	O



VOLKSWAGEN TRANSPORTER Features and specifications	Van (SWB & LWB) MY16	Crewvan (SWB & LWB) MY16	Single Cab (LWB) MY16	Dual Cab (LWB) MY16
OPTIONAL PACKAGES				
S = Standard O = Optional Extra - Not Available				
Driver Assistance Package (Short Wheelbase only)	0	0	-	-
Lane change assist "Side Assist" (includes power folding mirrors) Front fog lights with static cornering function Light and Vision system: auto dimming inside rear view mirror; automatic headlight activation with separate daytime running lights, "Leaving Home" and manual "Coming Home" function; rain sensing wipers				
Driver Assistance Package	0	0	0	0
Front fog lights with static cornering function Light and Vision system: auto dimming inside rear view mirror; automatic headlight activation with separate daytime running lights, "Leaving Home" and manual "Coming Home" function; rain sensing wipers				
Interior Comfort Package	0	0	0	0
Light and Vision system: auto dimming inside rear view mirror; automatic headlight activation with separate daytime running lights, "Leaving Home" and manual "Coming Home" function; rain sensing wipers Height adjustment for front passenger's seat Lumbar support (manually adjustable) for front passenger's seat Armrests for driver and front passenger seats Grab handles on A pillar for driver and front passenger (standard for single cab and dual cab) Vanity mirrors for left and right sun visors 12-volt socket on upper dashboard				
NOTE: Front passenger seat height adjustment, lumbar support and armrests not available for vehicles with front passenger bench seat				



VOLKSWAGEN TRANSPORTER Features and specifications

TECHNICAL SPECIFICATIONS

Model	TDI340		TDI400			
Engine	2.0 litre TDI340 BlueMotion Technology		2.0 litre TDI400 BlueMotion Technology			
Type	4 cylinder inline turbocharged direct injection diesel with engine Start/Stop system		4 cylinder inline turbocharged direct injection diesel with engine Start/Stop system			
Max power, kW @rpm	103 @3500		132 @4000			
Max torque, Nm @rpm	340 @1750-2500		400 @1500-2000			
Cubic capacity, litres/cc	1968		1968			
Bore/stroke, mm	81.0x95.5		81.0x95.5			
Compression ratio	16.5:1		16.5:1			
Fuel type (Recommended)	Diesel		Diesel			
Transmission	6 Speed Manual	7 Speed Direct Shift Gearbox (DSG) with sport mode and Tiptronic function. Includes coasting feature.	6 Speed Manual	7 Speed Direct Shift Gearbox (DSG) with sport mode and Tiptronic function. Includes coasting feature.		
Driven wheels	Front wheel drive	Front wheel drive	Front wheel drive	All wheel drive	Front wheel drive	All wheel drive
Fuel Consumption*						
Van / Crewvan	Manual	DSG	Manual	Manual 4Motion	DSG	DSG 4Motion
Combined, L/100km	7.2	7.7	7.3	7.9	7.6	8.3
Urban, L/100km	9.1	9.5	8.9	9.6	8.8	9.7
Extra Urban, L/100km	6.1	6.7	6.4	6.9	6.9	7.5
Fuel tank capacity, L	80	80	80	80	80	80
Cab Chassis	Single Cab DSG		Dual Cab Manual	Dual Cab Manual 4Motion	Dual Cab DSG	
Combined, L/100km	7.2		7.6	8.2	7.9	
Urban, L/100km	9.5		8.9	9.6	8.8	
Extra Urban, L/100km	8.0		6.9	7.4	7.3	
Fuel tank capacity, L	80		80	80	80	

* Fuel consumption figures according to Australian Design Rule (ADR) 81/02.



VOLKSWAGEN TRANSPORTER Features and specifications

TECHNICAL SPECIFICATIONS CONT'D

Model		TDI340				TDI400			
Running Gear									
Suspension	Front Axle Rear Axle	Independent McPherson struts, sub-frame with coil sprints and gas filled dampers Semi-training independent rear axle with coil springs and anti-roll bar							
Suspension Upgrades		Heavy-Duty and Rough Road suspension packages available							
Steering		Rack and pinion power steering							
Brake Systems		Anti-lock Braking System (ABS) with Electronic Brake-pressure Distribution (EBD), Brake Assist and Electronic Stabilisation Program (ESP). Brake energy recuperation.							
Brakes	Front Rear	Power assisted Hydraulic Ventilated disc 308mm Ventilated disc 294mm				Power assisted Hydraulic Ventilated disc 340mm Ventilated disc 294mm			
Weights									
Van / Crewvan		SWB Van	LWB Van	SWB Crewvan	LWB Crewvan	SWB Van	LWB Van	SWB Van 4Motion	LWB Van 4Motion
Gross Vehicle Weight (GVM), kg		3000	3000	3000	3000	3000	3000	3000	3000
Gross Combined Mass (GCM), kg		5200 (Man) 5300 (DSG)	5200 (Man) 5300 (DSG)	5300	5300	5200 (Man) 5300 (DSG)	5200 (Man) 5300 (DSG)	5200 (Man) 5300 (DSG)	5300
Manual									
Unladen Mass for Standard roof, kg**		1764	1820	-	-	1801	1857	1910	1966
Payload maximum for Standard roof, kg		1236	1180	-	-	1199	1143	1090	1034
Axle load limit, kg	Front Rear	1600 1550	1600 1550	- -	- -	1600 1550	1600 1550	1600 1550	1600 1550
DSG									
Unladen Mass for Standard roof, kg**		1784	1840	1918	1981	1820	1876	1932	1986
Payload maximum for Standard roof, kg		1216	1160	1082	1019	1180	1124	1068	1014
Axle load limit, kg	Front Rear	1600 1550	1600 1550	1610 1500	1610 1500	1600 1550	1600 1550	1600 1550	1600 1550
Additional									
Additional Unladen Mass for Medium roof, kg**		30	30	30	30	30	30	30	30
Additional Unladen Mass for High roof, kg**		-	50	-	50	-	50	-	50
Roof Load, kg		100	100	100	100	100	100	100	100

** The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only.



VOLKSWAGEN TRANSPORTER Features and specifications

TECHNICAL SPECIFICATIONS CONT'D

Model		TDI340	TDI400				
Weights Cont'd							
Cab Chassis		Single Cab	LWB Dual Cab		LWB Dual Cab 4Motion		
Gross Vehicle Weight (GVM), kg		3000	3000		3000		
Gross Combined Mass (GCM), kg		5300	5200 (Man) 5300 (DSG)		5300		
Roof Load, kg		50	75		75		
Manual							
Unladen Mass, kg**		-	1719		1828		
Payload maximum, kg		-	1281		1172		
Axle load limit, kg	Front	-	1600		1600		
	Rear	-	1550		1550		
DSG							
Unladen Mass, kg**		1584	1738		-		
Payload maximum, kg		1416	1262		-		
Axle load limit, kg	Front	1600	1600		-		
	Rear	1550	1550		-		
Exterior Dimensions							
		SWB Van	SWB Crewvan	LWB Van	LWB Crewvan	LWB Single Cab	LWB Dual Cab
Wheelbase, mm		3000	3000	3400	3400	3400	3400
Length, mm		4890	4890	5290	5290	5300	5300
Width, mm (excluding mirrors)		1904	1904	1904	1904	1904	1904
Width, mm (including mirrors)		2297	2297	2297	2297	2297	2297
Height, mm							
- Standard roof		1990	1990	1990	1990	1948	1960
- Medium roof		2177	2177	2177	2177	-	-
- High roof		-	-	2477	2477	-	-
Overhang, mm	Front	908	908	908	908	908	908
	Rear	993	993	993	993	989	989
Ground Clearance, mm		223	223	222	222	202	202
Slope Angle, degrees	Front	21.2	21.2	21.2	21.2	21.2	21.2
	Rear	16.2	16.2	16.2	16.2	19.9	19.9
Ramp Angle, degrees		13.7	13.7	12.2	12.2	-	-
Turning Circle, m		11.9	11.9	13.2	13.2	13.2	13.2

** The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only.



VOLKSWAGEN TRANSPORTER Features and specifications

TECHNICAL SPECIFICATIONS CONT'D

Model	TDI340		TDI400			
Interior	SWB Van	SWB Crewvan	LWB Van	LWB Crewvan	LWB Single Cab	LWB Dual Cab
Seating Capacity	2 (3 optional)	5 (2+3)	2 (3 optional)	5 (2+3)	3	5 (2+3) 6 optional (3+3)
Cargo Volume, L behind 1st row - Standard roof - Medium roof - High roof	5800 6700 -	5800 6700 -	6700 7800 9300	6700 7800 9300	- - -	- - -
Load Compartment Length, mm - without rear seats - without rear seats, to partition - behind 2nd row of seats	2572 2324 -	2572 - 1600	2975 2724 -	2938 - 1967	- - -	- - -
Load Compartment Width, mm - maximum - at wheel arches	1700 1244	1627 1244	1700 1244	1627 1244	- -	- -
Load Compartment Height, mm - Standard roof - Medium roof - High roof	1410 1635 -	1397 1622 -	1410 1635 1940	1394 1619 1924	- - -	- - -
Sliding Door, mm	1017	1017	1017	1017	-	-
Width Height	1282	1264	1282	1264	-	-
Tailgate / Rear Wing Door Width, mm - Standard/ Medium roof	1473	1473	1473	1473	-	-
Tailgate / Rear Wing Door Height, mm - Standard/ Medium roof	1299	1290	1299	1290	-	-
Rear Wing Door Height, mm - High roof	-	-	1694	1694	-	-
Load Sill Height, mm	568	576	566	574	-	-
Optional Factory Tray Length, mm	-	-	-	-	2939	2169
Optional Factory Tray Width, mm	-	-	-	-	1940	1940
Optional Factory Tray Height, mm	-	-	-	-	392	392
Optional Factory Tray Load Height, mm	-	-	-	-	904	904



VOLKSWAGEN TRANSPORTER Features and specifications	Candy White	Cherry Red	Pure Grey	Deep Ocean	Luminous Orange	Grape Yellow
COLOUR COMBINATIONS		EXTERIOR COLOUR				
S = Standard O = Optional Extra						
INTERIOR TRIM						
Transporter						
Titanium Black / Moonrock Grey cloth seat upholstery AUSTIN	S	S	S	S	S	S
	Reflex Silver M	Indium Grey M	Deep Black P	Acapulco Blue M	Starlight Blue M	Bamboo Garden M
COLOUR COMBINATIONS		EXTERIOR COLOUR				
S = Standard O = Optional Extra						
INTERIOR TRIM						
Transporter						
Titanium Black / Moonrock Grey cloth seat upholstery AUSTIN	S	S	S	S	S	S
<p>Please note: Metallic (M) and Pearl Effect (PE) paint are optional at additional cost.</p>						