



CITROËN **C4 CACTUS**
SPECIFICATION



EQUIPMENT SPECIFICATION MODEL YEAR 2016

SAFETY & SECURITY

- ABS with Electronic Brakeforce Distribution and Emergency Braking Assistance
- Electronic Stability Control (ESC)
- Hill Start Assist
- Cruise control with speed limiter
- Tyre pressure monitor
- Driver, front passenger, front lateral and curtain airbags
- Front seat belt pretensioners
- Unfastened seat belt warning on all seats
- Two rear ISOFIX mounting points
- Electronic child locking
- Remote central locking with deadlocks
- Transponder immobiliser
- 15" steel spare wheel

LIGHTING & VISIBILITY

- Height adjustable halogen headlights
- LED Daytime Running Lights (DRLs)
- Front fog lights with cornering function
- Magic wash system

DRIVER INFORMATION

- 7-inch touch screen (used to control all vehicle functions)
- Digital instrument cluster
- Gear Efficiency Indicator¹
- Exterior temperature display with ice alert
- Electronic owner's manual

EXCLUSIVE

STYLE EXTERIOR

- 17 inch diamond cut 'Cross' alloy wheels
- Black Airbump®
- Gloss Black Pack (A and B pillars and rear spoiler supports)
- Body colour door handles
- Gloss black door mirrors
- Gloss black rear insert
- Gloss black roof bars
- Dark tinted rear windows

STYLE INTERIOR

- Bi-tone leather steering wheel with satin chrome insert
- Easy Push gear selection²
- Gear selector paddles²
- Aircraft-style manual handbrake²

STORAGE

- 'Top Box' dashboard storage compartment
- Large front door pockets
- Rear door pockets with bottle holders
- Front cup holder
- Open front storage compartment
- Storage in front armrest¹
- Rear parcel shelf
- Lashing eyes in the boot

EXCLUSIVE

● Standard equipment
○ Optional factory fitted equipment

¹ Manual versions only

² Semi-automatic versions only

³ Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further compatibility information.

COMFORT & CONVENIENCE

- Steering wheel controls (cruise/ limiter/ media/telephone)
- Electric power steering
- Front electric windows
- Pop out rear windows
- Electrically adjustable door mirrors
- Heated door mirrors
- Auto Pack – automatic air conditioning, lights and windscreen wipers
- City Camera Pack – rear parking sensors, colour reversing camera
- 12 volt socket in cabin
- Front sunvisors with driver's courtesy mirror
- Front courtesy and reading lights
- Front armrest
- Driver's foot rest
- Rear garment hooks

SEATING

- Height adjustable driver's seat
- Sofa-style front seats
- 60/40 Split folding rear bench
- Three retractable rear head rests

IN-CAR ENTERTAINMENT

- DAB+ digital radio
- USB socket
- Bluetooth® handsfree and media streaming
- eMyWay satellite navigation
- Hi Fi pack - 6 speakers, RDS radio, MP3 player AUX socket and ARKAMYS digital amplifier

EXCLUSIVE


-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-

OPTIONS

- Grey Airbump®
- Dune Airbump®
- Chocolate Airbump®
- White door mirrors
- Red door mirrors
- Gloss black rear insert with chocolate 'Cactus' lettering
- Gloss black rear insert with grey 'Cactus' lettering
- Red rear insert with black 'Cactus' lettering
- White rear insert with black 'Cactus' lettering
- Gloss white roof bars
- Thermally insulated panoramic sunroof
- 17 inch black 'Cross' alloy wheels

EXCLUSIVE



-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-



TECHNICAL SPECIFICATION

	PETROL ENGINE	DIESEL ENGINE
	PureTech 110 S&S	e-HDi 92 S&S
ENGINE		
Capacity (cc)	1199	1560
Cylinders	3	4
Max power CEE (kW/rpm)	81/5500	68/4000
Max torque CEE (Nm/rpm)	205/1500	230/1750
Fuel system	Direct injection with intercooler	Common rail fuel injection with turbocharger and intercooler
Euro status	6	5
TRANSMISSION	Five speed manual	Six speed semi-automatic
PERFORMANCE		
Max speed (km/h)	188	182
0-100km/h (secs)	9.3	11.4
ECONOMY Litres/100km		
Urban cycle	5.8	3.9
Extra urban	4.0	3.5
Combined	4.7	3.6
CO2 EMISSIONS (g/km)	107	94
WEIGHTS (kg)		
Kerb weight	1020	1055
Gross vehicle weight	1555	1605
TOWING (kg)		
Max braked/unbraked	825/545	825/565
Max gross train weight	2155	2210
Max tow hitch download	55	55
Max roof rack load	80	80
Front/Rear BRAKES	Ventilated discs/drums	Ventilated discs/drums
Front/Rear SUSPENSION	Pseudo Macpherson strut/sprung torsion bar	Pseudo Macpherson strut/sprung torsion bar
STEERING		
Turning circle between kerbs (m)	10.9	10.9
Number of turns lock to lock	3.02	3.02
FUEL TANK CAPACITY Litres	50	50
EXTERIOR DIMENSIONS (mm)		
Length	4157	4157
Width (inc. mirrors)	1729 (1946)	1729 (1946)
Height (inc. roof bars)	1480 (1530)	1480 (1530)
Wheelbase	2595	2595
BOOT VOLUMES (Litres VDA)		
Below parcel shelf	358	358
Max. with rear seats folded	1170	1170

DIMENSIONS



* Height without roofbars/with roof bars

** Vehicle width/width with side mirrors out

All measurements are in millimetres.

Please don't throw me away, give me to a friend or recycle me.

www.citroen.com.au

CITROËN Automobiles Australia offers this information as a general guide to product specifications. All data is believed to be correct as at August 2015, however, as vehicle development is an ongoing process, changes may occur from time to time which will not necessarily be reflected in this brochure. Therefore, CITROËN Automobiles Australia reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of CITROËN products, you should not rely solely on the information provided in this brochure. Purchasers or prospective purchasers should discuss individual intended purposes or use of CITROËN products with your CITROËN dealer before making a purchase decision. Dealers are not agents of CITROËN Automobiles Australia and have absolutely no authority to bind CITROËN Automobiles Australia by an express or implied undertaking or representation. CITROËN Automobiles Australia is the trading name of Sime Darby Motors Wholesale Australia Pty Ltd (ABN 58 116 052 754.)